

OF THE

ATF-96

IDENTIFICATION NUMBER

COMMANDED BY

Calvin C. REED, LT

U. S. N.

Attached to

Division,

Squadron,

Flotilla,

U. S. PACIFIC

Fleet,

Naval District,

Commencing 0001 1 AUGUST, 19 62,
(zone time and date)

at ADAK, ALASKA (location)

and ending 2400 31 AUGUST, 19⁶²
(zone time and date)


at ENROUTE PEARL HARBOR, HAWAII (location)

B-63074

LOG BOOK

U.S.

U.S. NAVY



FOR OFFICIAL USE ONLY
NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET—TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION H/O DATE Wednesday 1 August 19 62
(Day) (Date) (Month)
AT/PASSAGE FROM Adak, Alaska TO _____

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISI-BIL-ITY (Miles)	WEATH-ER (Sym-bols)	BAROM-ETER (Inches)	TEMPER-ATURE		CLOUDS			SEA WATER TEMPER-ATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				DRY BULB	WET BULB	AMOUNT (Tenths)	HEIGHT	TYPE		DIRECTION (True)	HEIGHT (Feet)
01													
02													
03													
04													
05													
06													
07													
08													
09													
10													
11													
12													
13													
14													
15													
16													
17													
18													
19													
20													
21													
22													
23													
24													

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	
1200		
L _____	BY _____	
λ _____	BY _____	
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1—CELESTIAL
2—ELECTRONIC
3—VISUAL
4—D. R.

CURRENT DATA	
FROM _____	(ZT) _____ (Date) _____
TO _____	(ZT) _____ (Date) _____
SET _____	
DRIFT _____	
POSITION BETWEEN FIXES	
MID, L _____	
MID, λ _____	

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400

REMARKS

00-04 Moved port side to pier 3 U.S. Naval Station, Adak
Alaska with standard mooring lines doubled, wire out fore and aft
and springlines doublet astern to the pier. Material Condition 1
is set throughout the ship. Receiving fresh water and telephone service
from the pier. Ship's present include crews of the U.S. Pacific Fleet
and various district craft. POA is Commanding Officer of the
U.S.S. Hoel (ARL-3)

R. L. Walker
Lt. JG USN

04-08 Moved as before. 0745 Mounted the crew on station;
Absentee: none.

R. L. Walker

APPROVED:

EXAMINED:

U. S. N. COMMANDING

U. S. N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP _____

(Day) (Date) (Month) , 19____

APPROVED:

EXAMINED:

U.S.N. COMMANDING

U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10 DATE Wednesday 1 August, 19 62
(Day) (Date) (Month)

AT/PASSAGE FROM Adak, Alaska TO _____

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISI- BIL- ITY (Miles)	WEATH- ER (Sym- bols)	BAROM- ETER (Inches)	TEMPER- ATURE		CLOUDS			SEA WATER TEMPER- ATURE	WAVES	
	DIREC- TION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIREC- TION (True)	HEIGHT (Feet)
01	200	3	1	h	29.98	49	48	10	350	ST			
02	200	15	1	h	29.00	48	47	10	350	ST			
03	260	15	1	h	29.05	48	46	10	700	ST			
04	260	15	1	h	29.08	48	46	10	700	ST			
05	300	17	1	h	29.08	48	47	10	700	ST			
06	070	8	1	h	29.11	48	47	10	700	ST			
07	340	4	1	h	29.14	48	47	10	700	ST			
08	210	15	3	OK	29.16	50	49	10	700	ST			
09	210	15	3	OK	29.18	50	49	10	700	ST			
10	210	15	3	OK	29.20	51	49	10	700	ST			
11	210	10	2	R	29.20	52	50	10	700	ST			
12	220	15	2	OK	29.22	53	51	10	700	ST			
13	220	20	2	OK	29.24	54	51	10	1050	ST			
14	225	20	3	OK	29.25	55	53	10	700	ST			
15	230	16	5	OK	29.25	55	53	10	700	ST			
16	230	14	5	OK	29.25	55	51	10	1400	ST			
17	240	16	5	OK	29.25	54	51	10	1050	ST			
18	240	14	6	OK	29.25	54	51	9	1050	SC			
19	230	20	5	OK	29.24	53	49	10	1400	SC			
20	235	17	3	OK	29.24	52	48	10	1400	SC			
21	235	20	3	OK	29.26	50	46	10	1400	SC			
22	235	22	2	OK	29.27	53	50	10	1050	SC			
23	235	20	3	OK	29.28	53	50	10	1050	SC			
24	235	11	3	OK	29.31	48	48	10	0	ST			

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	
1200		
L _____	BY _____	
λ _____	BY _____	
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA	
FROM _____	(Date)
(ZT)	
TO _____	(Date)
(ZT)	
SET _____	
DRIFT _____	
POSITION BETWEEN FIXES	
MID. L _____	
MID. λ _____	

MILES STEAMED
0000-2400

FUEL CONSUMED
0000-2400

369

REMARKS

04-04 Moved port side to pier 3 and U.S. Naval Station
Adak, Alaska with standard morning line doubled, with end
fore and aft and spring line doubled on station 2 and 3.
Material Condition Alpha is set throughout the ship. Receiving
fresh water and telephone service from the pier. Ship's ground
include visits of the U.S. Pacific Fleet and various
district craft. POBA in Commanding Officer U.S.S. ABOLUS (ARC-3)

B. L. Walker
LTJG USN

04-08 Moved as before. 0745 Mustered the crew on
station; Absentee: none.

B. L. Walker
LTJG USN

APPROVED:

C. C. Reed Lt

U.S.N. COMMANDING

EXAMINED:

B. L. Walker LTJG

U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP

ABNAKI (ATF 96)

WEDNESDAY 1 AUGUST, 1962
(Day) (Date) (Month)

08-12 MOORED AS BEFORE 0942 MADE DAILY INSPECTION OF
MAGAZINES AND SMOKELESS POWDER SAMPLES - CONDITIONS NORMAL

Leslie E. Horton
ENS USN.

12-16. MOORED AS BEFORE

Leslie E. Horton
ENS USN

16-20 MOORED AS BEFORE. 1800 SET CONDITION YOKO.

Leslie E. Horton
ENS USN

20-24 MOORED AS BEFORE.

Leslie E. Horton
ENS USN.

APPROVED:

EXAMINED:

CC Reed Lt.

U.S.N. COMMANDING

Lt. Walker LTJG

U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKE (ATF-96) ZONE DESCRIPTION +10 DATE Thursday 2 August, 19 62
(Day) (Date) (Month)
AT/PASSAGE FROM ADAK, ALASKA TO _____

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISI- BIL- ITY (Miles)	WEATH- ER (Sym- bols)	BAROM- ETER (Inches)	TEMPER- ATURE		CLOUDS			SEA WATER TEMPER- ATURE	WAVES	
	DIREC- TION (True)	SPEED (knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIREC- TION (True)	HEIGHT (Feet)
01	235	20	3	OVC	29.33	48	48	10	0	ST			
02	240	25	3	OVC	29.34	48	48	10	0	ST			
03	245	25	2	OVC	29.36	48	48	10	0	ST			
04	245	25	3	OVC	29.38	48	47	10	350	ST			
05	245	25	3	L	29.38	49	48	10	350	ST			
06	250	27	2	OVC	29.40	49	48	10	350	ST			
07	260	25	2	L	29.42	48	48	10	0	ST			
08	270	25	2	L	29.44	48	47	10	350	ST			
09	260	24	3	L	29.46	50	49	10	350	ST			
10	270	24	3	OVC	29.50	50	49	10	350	ST			
11	260	20	5	OVC	29.54	50	49	10	350	ST			
12	260	18	5	OVC	29.56	51	49	10	700	ST			
13	260	15	5	BKN	29.58	52	50	8	700	ST			
14	260	15	5	BKN	29.61	53	50	8	1050	SC			
15	260	17	5	BKN	29.62	54	50	7	1400	SC			
16	240	5	5	BKN	29.65	56	52	7	1400	SC			
17	220	4	5	BKN	29.65	55	51	9	1400	SC			
18	230	5	5	BKN	29.70	55	52	9	1050	SC			
19	225	5	5	BKN	29.72	57	52	9	1750	SC			
20	220	8	5	BKN	29.74	58	55	8	1050	SC			
21	210	9	5	BKN	29.76	50	48	8	700	SC			
22	210	9	5	BKN	29.78	48	46	8	700	SC			
23	210	12	3	BKN	29.80	47	46	7	350	SC			
24	210	15	3	BKN	29.81	47	46	7	350	SC			

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	
1200		
L _____	BY _____	
λ _____	BY _____	
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA	
FROM _____	(Date)
(ZT)	
TO _____	(Date)
(ZT)	
SET _____	
DRIFT _____	
POSITION BETWEEN FIXES	
MID. L _____	
MID. λ _____	

MILES STEAMED
0000-2400

FUEL CONSUMED
0000-2400
H921

REMARKS

00-04 MOORED PORT SIDE TO PIER 3 USNAVAL STATION
ADAK, ALASKA WITH FOUR SPRING LAY LINES - 2 AND 3
DOUBLED AND 1 AND 4 SINGLE. ADDITIONAL LINES, (NYLON) OUT
FORE AND AFT. RECEIVING FRESH WATER AND TELEPHONE SERVICE FROM
PIER. CONDITION YOKE SET. SHIPS PRESENT INCLUDE VARIOUS
UNITS OF US PACIFIC FLEET AND YARD CRAFT. SOPA IS
COMMANDING OFFICER OF USS AEOLUS (RC-3)

Lisli E Horton
Enr USN

04-08 MOORED AS BEFORE. 0745 MUSTERED CREW AT
QUARTERS - ABSENTEES NONE

Lisli E Horton
Enr USN

APPROVED:

EXAMINED:

CC Beed Lt.

U.S.N. COMMANDING

Q. L. Walker Ltjg

U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNARI (ATF-96)

THURSDAY 2 AUGUST 1962
(Day) (Date) (Month)

08-12: MOORED AS BEFORE. 0827 MADE DAILY INSPECTIONS OF
MAGAZINES AND SMOKELESS POWDER SAMPLES; CONDITIONS
NORMAL.

H. L. Walker, ENS, USNR

12-16: MOORED AS BEFORE.

H. L. Walker, ENS, USNR

16-20: MOORED AS BEFORE. 1800 SET MATERIAL CONDITION YORE.

H. L. Walker, ENS, USNR

20-24: MOORED AS BEFORE.

H. L. Walker, ENS, USNR

APPROVED:

EXAMINED:

C. C. Reed Lt.

U.S.N. COMMANDING

H. L. Walker LTJG

U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10 DATE Friday 3 August 62
AT/PASSAGE FROM ADAK, ALASKA TO _____

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISI- BIL- ITY (Miles)	WEATH- ER (Sym- bols)	BAROM- ETER (Inches)	TEMPER- ATURE		CLOUDS			SEA WATER TEMPER- ATURE	WAVES	
	DIREC- TION (True)	SPEED (knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIREC- TION (True)	HEIGHT (Feet)
01	200	12	3	BKN	29.82	46	45	7	350	ST			
02	210	10	3	BKN	29.83	46	45	8	350	ST			
03	200	7	3	BKN	29.85	45	44	9	350	ST			
04	200	5	3	BKN	29.89	45	44	9	350	ST			
05	220	7	3	BKN	29.89	47	45	9	700	ST			
06	190	2	4	OVC	29.90	49	48	10	350	ST			
07	170	2	5	OVC	29.90	49	48	10	350	ST			
08	200	3	5	OVC	29.92	50	48	10	700	ST			
09	200	3	5	OVC	29.93	50	49	10	350	ST			
10	220	3	5	OVC	29.94	51	50	10	350	ST			
11	220	3	5	OVC	29.95	51	50	10	350	ST			
12	220	5	5	OVC	29.96	51	50	10	350	ST			
13	225	6	5	OVC	29.97	52	50	10	700	ST			
14	220	7	5	OVC	29.97	53	51	10	700	ST			
15	220	7	5	OVC	29.99	53	51	10	700	ST			
16	220	5	7	OVC	30.00	54	51	10	1050	SC			
17	215	5	7	OVC	30.00	54	51	10	1050	SC			
18	215	5	7	OVC	30.02	56	52	10	1400	SC			
19	215	5	7	OVC	30.01	53	51	10	700	ST			
20	215	5	7	OVC	30.01	52	50	10	700	ST			
21	215	3	7	OVC	30.01	52	50	10	700	ST			
22	0	0	7	OVC	30.01	52	50	10	700	ST			
23	0	0	7	OVC	30.01	52	50	10	700	ST			
24	0	0	7	OVC	30.02	52	50	10	700	ST			

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	
1200		
L _____	BY _____	
λ _____	BY _____	
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA	
FROM _____	(ZT) _____ (Date) _____
TO _____	(ZT) _____ (Date) _____
SET _____	
DRIFT _____	
POSITION BETWEEN FIXES	
MID. L _____	
MID. λ _____	

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400
396 385

REMARKS

00-04: MOORED PORT SIDE TO PIER THREE (3), U.S. NAVAL STATION, ADAK, ALASKA WITH FOUR SPRING LAY LINES; DOUBLED AMIDSHIPS, WITH ADDITIONAL LINES (NYLON) FORE AND AFT. RECEIVING FRESH WATER AND TELEPHONE SERVICES FROM THE PIER. CONDITION ONE SET. SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE U.S. PACIFIC FLEET, AND DISTRICT CRAFT. SOPA IS COMMANDING OFFICER, U.S.S. REHOBOTH (AGS-50).

W. H. Johnson, ENS, USN

04-08: MOORED AS BEFORE. 0755 MUSTERED THE CREW ON STATIONS; ABSENTEES NONE.

W. H. Johnson, ENS, USN

APPROVED:

C. C. Reed Lt.

U.S.N. COMMANDING

EXAMINED:

A. L. Walker Ltjg

U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-94) Friday 3 August 1962
(Day) (Date) (Month)

08-12 Moored as before. 1105 Made daily inspection of magazine and smokeless powder sample; Condition normal. Made weekly test of magazine sprinkling system and flooding system; Condition normal.

J. H. Hopper CWO

12-16 Moored as before. 1400 Commenced Commanding Officer inspection of personnel 1425 Secured from personnel inspection by Commanding Officer.

J. H. Hopper CWO U.S.N.

16-20 Moored as before 1800 Set material Condition Yoke.

J. H. Hopper CWO U.S.N.

20-24 Moored as before

J. H. Hopper CWO U.S.N.

APPROVED:

EXAMINED:

C. C. Reed Lt

U.S.N. COMMANDING

G. L. Walker LtJG

U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION 410 DATE Saturday 4 August, 19 62
(Day) (Date) (Month)
AT/PASSAGE FROM Adak, Alaska TO _____

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISI- BIL- ITY (Miles)	WEATH- ER (Sym- bols)	BAROM- ETER (Inches)	TEMPER- ATURE		CLOUDS			SEA WATER TEMPER- ATURE	WAVES	
	DIREC- TION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIREC- TION (True)	HEIGHT (Feet)
01	0	0	6	OVC	30.02	51	50	10	350	ST			
02	0	0	4	OVC	30.02	51	50	10	350	ST			
03	0	0	3	OVC	30.00	49	48	10	350	ST			
04	100	3	2	OVC	29.98	51	49	10	700	ST			
05	100	4	4	OVC	29.96	51	49	10	700	ST			
06	100	4	5	OVC	29.95	50	49	10	350	ST			
07	100	4	6	OVC	29.93	50	49	10	350	ST			
08	120	3	4	OVC	29.92	51	49	10	700	ST			
09	160	5	3	OVC	29.90	52	50	10	700	ST			
10	160	7	3	1	29.86	50	49	10	350	ST			
11	160	7	3	1	29.84	50	49	10	350	ST			
12	160	8	3	1	29.81	50	50	10	0	ST			
13	160	9	3	1	29.78	52	51	10	350	ST			
14	160	12	3	1	29.75	54	51	10	1050	SC			
15	170	12	3	1	29.68	54	51	10	1050	SC			
16	165	14	5	1	29.65	54	51	10	1050	SC			
17	140	17	3	OVC	29.55	52	51	10	350	ST			
18	160	20	3	1	29.48	52	51	10	350	ST			
19	160	17	3	1	29.44	51	50	10	350	ST			
20	175	18	2	1	29.41	54	54	10	0	ST			
21	175	15	2	1	29.41	54	54	10	0	ST			
22	175	13	2	1	29.40	56	56	10	0	ST			
23	175	13	1	1	29.39	56	55	10	350	ST			
24	175	16	1	1	29.40	56	55	10	350	ST			

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	
1200		
L _____	BY _____	
λ _____	BY _____	
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA	
FROM _____	(ZT) (Date)
TO _____	(ZT) (Date)
SET _____	
DRIFT _____	
POSITION BETWEEN FIXES	
MID. L _____	
MID. λ _____	

MILES STEAMED
0000-2400

FUEL CONSUMED
0000-2400

452

REMARKS

00-04 Moved port side to pier 3. U.S. Naval Station
Adak, Alaska, with four springing lines - 2 and 3
doubled up and 1 and 4 single. Additional line
(nylon) out fore and aft. Receiving fresh water
and telephone service from pier. Condition of set
Ship present include various units of U.S. Pacific
Fleet and yard craft. SOPA is Commanding
Officer U.S.S. Rehoboth (HGS-50)

Jethroppy Cove U.S.N.

04-08. Moved as before. 0745 Mustered crew on station
absentees none.

Jethroppy Cove U.S.N.

APPROVED:

EXAMINED:

C.C. Reed Lt.

U.S.N. COMMANDING

Lt. Halk LHS6

U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKE (ATF-96) Saturday 4 August 1962
(Day) (Date) (Month)08-12 moved as before 1800 Made daily inspection of magazines
and smokeless powder samples; Condition: normal.R. L. Walker
LTJG USN12-16 moved as before.R. L. Walker
LTJG USN16-20 moved as before 1800 Set Condition Yds throughout the
ship.R. L. Walker
LTJG USN20-24 moved as before.R. L. Walker
LTJG USN

APPROVED:

EXAMINED:

C. C. Reed Lt.

U.S.N. COMMANDING

R. L. Walker LTJG

U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKE (ATF-96) ZONE DESCRIPTION H10 DATE Sunday 5 August, 19 62
(Day) (Date) (Month)

AT/PASSAGE FROM Adak, Alaska TO _____

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISI- BIL- ITY (Miles)	WEATH- ER (Sym- bols)	BAROM- ETER (Inches)	TEMPER- ATURE		CLOUDS			SEA WATER TEMPER- ATURE	WAVES	
	DIREC- TION (True)	SPEED (knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIREC- TION (True)	HEIGHT (Feet)
01	190	15	1	R	29.39	55	54	10	350	ST			
02	195	17	1	R	29.38	55	54	10	350	ST			
03	195	14	2	h	29.37	55	54	10	350	ST			
04	195	12	2	OK	29.38	56	55	10	350	ST			
05	190	14	3	OK	29.40	56	55	10	350	ST			
06	195	15	4	BKN	29.41	57	56	6	350	ST			
07	190	15	6	BKN	29.44	55	52	5	1050	ST			
08	190	15	4	BKN	29.45	55	52	5	1050	SC			
09	185	15	5	BKN	29.46	55	52	5	1050	SC			
10	190	15	4	BKN	29.47	55	52	5	1050	SC			
11	190	17	6	BKN	29.49	55	52	6	1050	SC			
12	200	20	4	BKN	29.50	55	52	8	1050	SC			
13	200	18	4	BKN	29.52	55	52	8	1050	SC			
14	200	18	4	OK	29.54	55	52	10	1050	SC			
15	200	18	4	OK	29.56	55	52	10	1050	SC			
16	210	20	2	OK	29.59	55	53	10	700	ST			
17	180	25	2	OK	29.60	55	52	10	1050	ST			
18	195	20	3	OK	29.61	55	53	10	700	ST			
19	190	25	4	OK	29.62	54	51	10	1050	SC			
20	190	25	5	OK	29.68	54	51	10	1050	SC			
21	195	25	4	OK	29.70	54	51	9	1050	SC			
22	195	25	4	OK	29.72	54	51	9	1050	SC			
23	200	25	4	OK	29.74	53	51	9	700	ST			
24	200	25	4	OK	29.78	52	51	9	350	ST			

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	
1200		
L _____	BY _____	
λ _____	BY _____	
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA	
FROM _____	(Date)
(ZT)	
TO _____	(Date)
(ZT)	
SET _____	
DRIFT _____	
POSITION BETWEEN FIXES	
MID. L _____	
MID. λ _____	

MILES STEAMED
0000-2400

FUEL CONSUMED
0000-2400

396

REMARKS

04-04 Moved port side to pier 3 U.S. Naval Station, Adak, Alaska, with standard morning lines double, with out fore and aft and spring lines double at station 2 and 3. Material Condition Yellow set throughout the ship. Ship is ^{receiving} fresh water and telephone service from the pier. Ship present include units of the U.S. Pacific Fleet and various District craft. SOPA is Commanding Officer U.S.N. Tender (ARC-4).

G. L. Walker
LTJG USN

04-08 Moved on before.

G. L. Walker
LTJG USN

APPROVED:

C. C. Reed Lt

U.S.N. COMMANDING

EXAMINED:

G. L. Walker LTJG

U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP

ABNAKI (ATF 96)

SUNDAY 5 AUGUST 1962
(Day) (Date) (Month)

08-12 MOORED AS BEFORE. 0800 MUSTERED CREW ON STATIONS ABSENTEES NONE.

Leslie E. Horton
Ensign USN

12-16 MOORED AS BEFORE.

Leslie E. Horton
Ensign USN

16-20 MOORED AS BEFORE. 1800 SET CONDITION YOKE.

Leslie E. Horton
Ensign USN

20-24 MOORED AS BEFORE.

Leslie E. Horton
Ensign USN

APPROVED:

EXAMINED:

C.C. Reed Lt.

U.S.N. COMMANDING

B.L. Walker LTJG

U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION #10 DATE Monday 6 August, 19 62
(Day) (Date) (Month)

AT/PASSAGE FROM ADAK, ALASKA TO _____

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISI- BIL- ITY (Miles)	WEATH- ER (Sym- bols)	BAROM- ETER (Inches)	TEMPER- ATURE		CLOUDS			SEA WATER TEMPER- ATURE	WAVES	
	DIREC- TION (True)	SPEED (knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIREC- TION (True)	HEIGHT (Feet)
01	190	18	3	OK	29.80	52.5	51	9	350	SC			
02	190	20	4	OK	29.81	51	50	9	350	SC			
03	200	20	2	R	29.82	51	50	10	350	SC			
04	220	17	2	R	29.81	51	50	10	350	SC			
05	190	15	2	R	29.82	51	50	10	350	ST			
06	200	20	3	OK	29.82	50	49	10	350	ST			
07	180	7	3	OK	29.83	50	49	10	350	ST			
08	200	11	2	h	29.88	50	49	10	350	ST			
09	220	11	2	h	29.88	50	49	10	350	ST			
10	220	11	2	h	29.90	50	49	10	350	ST			
11	220	9	3	h	29.90	51	50	10	350	ST			
12	215	10	4	OK	29.92	51	49	10	700	ST			
13	215	10	4	OK	29.92	51	49	10	700	ST			
14	220	8	4	OK	29.94	52	49	10	1050	ST			
15	220	15	4	OK	29.96	52	49	10	1050	ST			
16	245	11	5	OK	29.97	53	49	9	1400	SC			
17	245	8	7	OK	29.99	52	49	9	1050	SC			
18	245	8	6	OK	30.00	52	49	9	1050	SC			
19	255	3	6	OK	30.02	50	48	9	700	ST			
20	030	3	5	OK	30.06	50	48	9	700	ST			
21	350	3	5	OK	30.08	49	47	9	700	ST			
22	320	3	4	OK	30.10	48	46	9	700	ST			
23	350	3	3	OK	30.12	46	45	9	350	ST			
24	350	3	2	OK	30.13	48	46	9	700	ST			

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	
1200		
L _____	BY _____	
λ _____	BY _____	
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA
FROM _____ (ZT) _____ (Date)
TO _____ (ZT) _____ (Date)
SET _____
DRIFT _____
POSITION BETWEEN FIXES
MID. L _____
MID. λ _____

MILES STEAMED
0000-2400

FUEL CONSUMED
0000-2400

470

REMARKS

ΦΦ-Φ4 MOORED PORT SIDE TO PIER 3 U.S. NAVAL STATION. ADAK
ALASKA WITH FOUR SPRING LAY WIRE LINES. 2+3 MOORING LINES
DOUBLED. ADDITIONAL NYLON LINES ONT FORE AND AFT. MATERIAL
CONDITION YOKE SET. ^{RECEIVING} FRESH WATER AND TELEPHONE SERVICE ^{SEM}
FROM PIER. SHIPS PRESENT INCLUDE VARIOUS UNITS OF US PACIFIC
FLEET AND ^{YARDCRAFT} ~~YARDCRAFT~~. SOPA IS COMMANDING OFFICER OF USS ^{SEM}
THOR (ARC-4)

Leslie E. Horton
Ensign USN

Φ4-Φ8 MOORED AS BEFORE. Φ745 MUSTERED CREW AT
QUARTERS, ABSENTEES: NONE.

Leslie E. Horton
Ensign USN

APPROVED:

C. C. Breed Lt.

U.S.N. COMMANDING

EXAMINED:

C. L. Walker Ltjg

U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP

ABNAKI (ATF-96)

MONDAY 6 AUGUST, 1962
(Day) (Date) (Month)

08-12: MOORED AS BEFORE. 0934 COMMENCED TAKING ON FUEL. DRAFT ~~FWD 16'1"~~^{14'3"}, AFT FWD 14'0", AFT 16'1". 1006 MADE DAILY INSPECTIONS OF MAGAZINES AND SMOKELESS POWDER SAMPLES; CONDITIONS NORMAL. 1014 SECURED FROM TAKING ON FUEL. DRAFT FWD. 14'2", AFT 16'3". TOOK ON 2000 GALLONS OF DIESEL FUEL.

H. L. Walker, ENS, USNR

12-16: MOORED AS BEFORE.

H. L. Walker, ENS, USNR

16-20: MOORED AS BEFORE. 1800 SET MATERIAL CONDITION YOLKE.

H. L. Walker, ENS, USNR

20-24: MOORED AS BEFORE.

H. L. Walker, ENS, USNR

APPROVED:

EXAMINED:

C. C. Reed Lt.

U.S.N. COMMANDING

H. L. Walker LTJG

U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAK (ATF-96) ZONE DESCRIPTION +10 DATE TUESDAY 7 AUGUST, 19 62
(Day) (Date) (Month)

AT/PASSAGE FROM ADAK, ALASKA TO _____

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISI- BIL- ITY (Miles)	WEATH- ER (Sym- bols)	BAROM- ETER (Inches)	TEMPER- ATURE		CLOUDS			SEA WATER TEMPER- ATURE	WAVES	
	DIREC- TION (True)	SPEED (knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIREC- TION (True)	HEIGHT (Feet)
01	350	3	2	OVC	30.14	47	46	9	350	ST			
02	350	3	2	OVC	30.15	47	46	9	350	ST			
03	315	3	2	OVC	30.15	46	46	9	0	ST			
04	280	3	3	OVC	30.16	47	46	9	350	ST			
05	250	4	3	OVC	30.17	46	45	9	350	ST			
06	220	4	3	OVC	30.18	44	44	9	0	ST			
07	220	4	7	SC	30.22	44	44	2	0	O			
08	230	4	7	CLR	30.21	45	45	1	0	O			
09	240	3	7	CLR	30.23	47	45	0/1	700	ST	46	240	1/2
10	240	4	7	CLR	30.23	47	45	0/1	700	SC	46	245	1/2
11	240	5	7	CLR	30.24	48	46	0/1	700	SC	46	250	1/2
12	250	7	7	CLR	30.24	50	48	0/1	700	SC	46	255	1/2
13	250	3	7	CLR	30.24	51	49	0/1	700	CU	46	260	1/2
14	270	8	7	CLR	30.25	52	50	0/1	700	CU	46	270	1
15	270	9	7	CLR	30.25	52	50	0/1	700	CU	46	280	1
16	280	6	7	SC	30.24	55	51	5	1400	CU	46	285	1/2
17	290	4	7	SC	30.24	61	56	5	1750	SC	46	295	1/2
18	260	5	7	BKN	30.25	57	53	8	1400	CU	46	290	1/2
19	285	10	2	BKN	30.25	54	52	7	700	RC			
20	325	7	2	OVC	30.25	51	49	10	700	ST			
21	320	6	1/2	F	30.26	49	48	10	350	ST			
22	320	4	1	OVC	30.27	49	48	10	350	ST			
23	315	2	1	OVC	30.27	48	47	10	350	ST			
24	315	2	1	OVC	30.28	48	47	10	350	ST			

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	
1200		
L _____	BY _____	
λ _____	BY _____	
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA	
FROM _____	(ZT) (Date)
TO _____	(ZT) (Date)
SET _____	
DRIFT _____	
POSITION BETWEEN FIXES	
MID. L _____	
MID. λ _____	

MILES STEAMED
0000-2400

29.5

FUEL CONSUMED
0000-2400

1065

REMARKS

00-04: MOORED PORT SIDE TO PIER THREE (3), U.S. NAVAL STATION, ADAK, ALASKA WITH FOUR SPRING LAY LINES DOUBLED AND SHIPS WITH ADDITIONAL NYLON LINES FORE AND AFT RECEIVING FRESH WATER AND TELEPHONE SERVICES FROM THE PIER. SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE U.S. PACIFIC FLEET, AND DISTRICT CRAFT. SOPA IS COMMANDING OFFICER, U.S.S. THOR (ARC-4).

H. L. Walker, ENS, USNR

04-08: MOORED AS BEFORE. 0745 MUSTERED THE CREW AT QUARTERS; ABSENTEES NONE.

H. L. Walker, ENS, USNR

APPROVED:

EXAMINED:

C. C. Reed Lt.

U.S.N. COMMANDING

H. L. Walker LtJG

U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP Alnaki (HTF-94) Tuesday 7 August 62
 (Day) (Date) (Month) 19

08-12 Moored as before 0815 Set the sea and anchor detail, Captain and Navigator on the Bridge 0829 LTJG Walker Conning Ens Swan O.O.D. Made daily inspection of magazine and smokeless power samples, Condition Normal. 0832 Underway 74W CTU 93. P. 4 mag 062250Z of August. Draft 14' 4" 16' 8" Maneuvering on various courses at various speeds to clear Berth. 0839 Commenced maneuvering at various speed and courses standing out of Sweeper Cove, Adak Alaska 0840 %C 077°. 0842 Secured sea detail, set underway watch; anchor and navigation detail manned. Ens Swan relieved LTJG Walker of Conn. 0845 %C 077°. 0848 Secured anchor detail 0851 Commenced steering various courses at various speeds to maintain 1,000 yd Astern of U.S.S. Thor (AFRC-4) 0933 Set towing detail. Captain and Navigator on the bridge 0942 %S H/1 1/3 (25 RPM) 3.3 kts. 0947 U.S.S. Thor (AFRC-4) Anchored approx 1800 yd off Port Bow. 0948 Both anchors ready for letting go. Commenced maneuvering at various speeds and various courses to anchor. 1007 Captain Conning 1026 Anchored in 42' of water under heel, with 10 fathoms of chain out on shot anchor. Anchored in Rocky bottom on falling anchor bearing, Cliff 220°, Pitt Rock 154°, Zetis point 067°, Gannet Rock 180 1/4°. 1053 Anchor aweigh, Underway Commenced making approach on U.S.S. Thor (AFRC-4). Steering various courses at various speeds to pass line to stern of U.S.S. Thor (AFRC-4). 1101 first line over to U.S.S. Thor (AFRC-4) 1106 Towing wire aboard U.S.S. Thor (AFRC-4) 1110 Starboard anchor ^{awigh} ~~let go~~. Anchored in 35' of water rocky bottom anchor bearing, Cliff 219 1/2° Gannet Rock 173 1/2°, Pitt Rock 148 3/4°. 1112 Anchor aweigh Underway. 1115 Let go starboard anchor to short stay, anchor in 47' of water, anchor bearing Cliff 221 1/2° Gannet Rock 175°, Pitt Rock 149 1/2°. 1123 Anchor aweigh underway. Commenced paying out tow wire to 750'. 1131 ^{Let go} ~~Starboard~~ ^{Starboard} anchor to short stay, anchored in 54' of water under heel, Rocky bottom, anchor bearing Cliff 224 1/2° Gannet Rock 174 3/4°. Pitt Rock 148 3/4°. 1135 Anchor aweigh. Underway, maneuvering at various courses at various speeds. Charger, paying out tow wire. 1142 950 feet of wire out. 1146, 1050 feet of wire out. 1148 Let go starboard anchor with 73 feet of water under heel, rocky bottom at short stay. Following anchor bearing, Cliff 227° Gannet Rock 147° Lt/Gannet 189°. 1158, 850 feet of tow wire out to U.S.S. Thor (AFRC-4) towing stern to stern to maintain station

Jeffery Cwo U.S.N.

12-16, Underway as before. Maneuvering at various speed and courses (CON'T)

Jeffery Cwo U.S.N.

APPROVED:

EXAMINED:

C.C. Reed Lt.

U.S.N. COMMANDING

B.L. Walker LTJG

U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPER 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96)TUESDAY 7 AUGUST, 1962
(Day) (Date) (Month)

12-16 (CONT) Changer to ~~up~~ ^{up} anchor. 1221 anchor aweigh
1222. Commenced maneuvering at various speeds and course
changes to maintain U.S.S. Thor (ARC-4) on station, U.S.S.
Abnaki (ATF-96) is towing U.S.S. Thor (ARC-4) astern. 1309
LTJG Walker relieved Captain of Conn. 1313. 600 feet of tow wire
out. 1404 CWO Haffey Conning. 1525 U.S.S. Thor (ARC-4) Cast
off tow wire, all line clear. 1526 Main tow wire
aboard. 1530 $\frac{1}{3}$ A/S. 1533 $\frac{1}{3}$ A/S. 1535 $\frac{1}{3}$ A/S. 1540 Secured
towing detail.

J. Haffey CWO U.S.N.

16-20. Underway as before. Ens Horton relieved CWO Haffey of
the Conn. 1615 R/R 10°. F/A $\frac{1}{3}$ $\frac{1}{3}$ 065°. 1629 $\frac{1}{3}$ 070° 1641
 $\frac{1}{3}$ (33 RPM) 3 kts. 1657 $\frac{1}{3}$ 068°. 1658 CWO Haffey relieved
Ens Horton Conn. 1710 $\frac{1}{3}$ (35 RPM) 3.3 kts. 1735 $\frac{1}{3}$ (35 RPM)
4.6 kts. 1735 $\frac{1}{3}$ 030°. $\frac{1}{3}$ 025°. 1743 $\frac{1}{3}$ (75 RPM) 9.5 kts. 1744
 $\frac{1}{3}$ (110 RPM) 13.3. 1745 $\frac{1}{3}$ 250° T. 1746 $\frac{1}{3}$ 253° T. 1759
 $\frac{1}{3}$ 250°. 1811 $\frac{1}{3}$ 248° T. 1815 $\frac{1}{3}$ 240° T. 1816. Stationed the
special sea and anchor detail. 1818 Captain and Navigators
on the bridge. 1820 $\frac{1}{3}$ (100 RPM) 12.3 kts. 1821 Spannet Rock
bearing 000° T. 1823 $\frac{1}{3}$ (50 RPM) 6.7 kts. 1824 $\frac{1}{3}$ (35 RPM) 3.3 kts.
1826. Commenced steering various course at various speed
to go along side of PW, Port side to. 1832. Moved port
side to Pier three (3) U.S. Naval station Adak, Alaska.
1836. Captain Conning. 1847 Secured special sea and
anchor detail, set in port watch. Moved 2 and 3
line doubled up springlay 1 and 4 nylon doubled up
single springlay out forward and aft. Material
Condition Yoke set.

J. Haffey CWO U.S.N.

20-24. Moored as before. 2307. U.S.S. Thor (ARC-4) moored
Port side to pier five (5) and Relieved U.S.S. Rehoboth
(AGS-50) of duties as S.O.P.M.

J. Haffey CWO U.S.N.

APPROVED:

EXAMINED:

C. C. Breed Lt.

U.S.N. COMMANDING

A. L. Walker LTJG

U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10 DATE WEDNESDAY 8 AUGUST, 1962
(Day) (Date) (Month)

AT/PASSAGE FROM ADAK, ALASKA TO _____

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISI- BIL- ITY (Miles)	WEATH- ER (Sym- bols)	BAROM- ETER (Inches)	TEMPER- ATURE		CLOUDS			SEA WATER TEMPER- ATURE	WAVES	
	DIREC- TION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIREC- TION (True)	HEIGHT (Feet)
01	315	3	5	OVC	30.28	47	46	9	350	ST			
02	310	2	4	OVC	30.28	47	46	9	350	ST			
03	310	3	4	OVC	30.28	47	46	9	350	ST			
04	310	5	3	OVC	30.27	47	46	9	350	ST			
05	310	3	3	OVC	30.27	47	46	10	350	ST			
06	315	1	3	OVC	30.27	48	48	10	0	ST			
07	0	0	3	OVC	30.27	48	48	10	0	ST			
08	0	0	2	OVC	30.28	48	48	10	0	ST			
09	0	0	1	OVC	30.24	47	47	10	0	ST			
10	0	0	1/2	OVC	30.26	47	46	10	350	ST			
11	090	1	4	OVC	30.26	48	47	10	350	ST			
12	090	1	5	OVC	30.24	48	46	10	700	ST			
13	090	4	5	OVC	30.24	49	47	10	700	ST			
14	090	3	3	OVC	30.25	52	49	10	1050	ST			
15	090	4	3	OVC	30.20	51	48	10	1050	ST			
16	085	4	5	OVC	30.19	51	48	10	1050	ST			
17	085	4	5	OVC	30.18	51	48	10	1050	ST			
18	098	9	6	OVC	30.14	50	48	10	700	ST	47	095	1/2
19	100	8	6	OVC	30.14	50	48	10	700	ST	47	070	1
20	110	3	5	OVC	30.14	49	47	10	700	ST	47	080	1
21	100	2	5	OVC	30.14	49	47	10	700	ST	47	090	1
22	0	0	5	OVC	30.14	50	49	10	350	ST	47	090	1
23	0	0	5	OVC	30.12	51	49	10	350	ST	47	090	1
24	200	10	5	OVC	30.09	50	49	10	350	ST	47	090	1

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	
1200		
L _____	BY _____	
λ _____	BY _____	
2000		
L <u>52-06 N</u>	BY <u>3</u>	
λ <u>176-35 W</u>	BY <u>3</u>	

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA	
FROM _____	(Date)
TO _____	(Date)
SET _____	
DRIFT _____	
POSITION BETWEEN FIXES	
MID. L _____	
MID. λ _____	

MILES STEAMED 0000-2400
<u>65.5</u>

FUEL CONSUMED 0000-2400
<u>1176</u>

REMARKS

00-04. Moored port side to Pier 3. U. S. Naval Station Adak, Alaska with following lines in use. 2 and 3 spring lag doubled up. 1 and 4 nylon doubled up. Wire out foreward and aft. Condition Yoke set. Receiving fresh water and telephone service from pier. Ship present include ships and units of the U. S. Pacific Fleet and district Craft. A. O. B. A. is Commanding Officer U. S. S. L. Hor. (ATF-4)

J. B. Hopper CWO U.S.N.

04-08. Moored as before. 0755 Mustered crew at Quartermaster for muster and inspection; Absentees none.

J. B. Hopper CWO U.S.N.

APPROVED:

EXAMINED:

C. C. Rudolph

U. S. N. COMMANDING

B. L. Walker LTJG

U. S. N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP

ABNAKI (ATF-96)

Wednesday 8 August 1962
(Day) (Date) (Month)

08-12 Moved as before 0841 made daily inspection of magazines and smokeless powder samples; Condition: normal.

B. L. Walker
LTJG USN

12-16 Moved as before

B. L. Walker
LTJG USN

16-20 Moved as before 1753 Set Special Sea and
 Anchor ^{Captain and Navigator on the bridge.} Retain ¹⁷⁵⁵ Mustered the crew on station; Absentees: none. ^{Captain has the com.}
 N Enr. Surge from the deck. ¹⁸⁰⁵ Underway in accordance with CTU 93.0.4 msg. 062250Z
 and Com Al Sea Frontier 205-62. Steering various courses at
 various speeds to clear berth and stand out of harbor. 1812
 Cleared breakwater, and set course 076°, speed 13.3 kts. 1818 1/2 to
 069°. 1819 Secured Special Sea and Anchor Retain red signal
 underway watch. 1833 1/2 to 056° 1840 Held steering
 casualty drill. 1848 1/2 to 060° 1850 1/5 to 12.3 kts.
 maneuvering to take station 1944 1/2 station of L. L. Palmer County on
 course 200 speed 10 kts. 1944 On station. Secured from steering
 casualty drill.

B. L. Walker
LTJG USN

20-24 Underway as before. 2047 Changed base course to 277°

B. L. Walker
LTJG USN

APPROVED:

EXAMINED:

CC Reed Lt

U.S.N. COMMANDING

B. L. Walker LTJG

U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ARNAKI (ATF-96) ZONE DESCRIPTION +10 DATE THURSDAY 9 AUGUST 1962
(Day) (Date) (Month)
AT/PASSAGE FROM ADAK, ALASKA TO _____

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISI-BIL-ITY (Miles)	WEATH-ER (Sym-bols)	BAROM-ETER (Inches)	TEMPER-ATURE		CLOUDS			SEA WATER TEMPER-ATURE	WAVES	
	DIREC-TION (True)	SPEED (knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIREC-TION (True)	HEIGHT (Feet)
01	270	11	5	RW	30.06	50	49	10	350	ST	50	290	1
02	270	10	5	L	30.03	49	48	10	350	ST	50	280	1
03	270	8	4	L	30.00	48	47	10	350	ST	50	280	1
04	015	8	4	L	29.97	48	47	10	350	ST	50	025	2
05	025	8	5	L	29.93	48	46	10	700	ST	50	030	2
06	025	9	6	L	29.90	48	46	10	700	ST	50	025	2
07	035	10	7	L	29.84	48	46	10	700	ST	48	040	2
08	130	15	7	L	29.74	46	46	10	0	ST	48	120	2
09	150	18	6	L	29.74	46	46	10	0	ST	48	170	2
10	155	18	5	L	29.71	46	46	10	0	ST	48	170	3
11	160	19	5	L	29.68	46	46	10	0	ST	48	170	3
12	140	19	1	F	29.63	49	49	10	0	ST	48	160	4
13	145	18	1/2	F	29.58	50	50	10	0	ST	45	160	4
14	145	18	1/2	F	29.58	50	50	10	0	ST	45	165	4
15	165	17	1/2	F	29.54	51	51	10	0	ST	45	165	4
16	190	20	1/2	F	29.53	51	51	10	0	ST	50	180	4
17	190	33	2	F	29.51	51	51	10	0	ST	50	180	3
18	195	31	2	F	29.48	51	51	10	0	ST	50	180	3
19	215	28	2	F	29.48	48	48	10	0	ST	49	180	3
20	190	25	4	F	29.50	48	48	10	0	ST	49	200	3
21	190	25	5	BKN	29.52	48	48	9	0	ST	49	200	3
22	195	23	5	BKN	29.58	48	48	9	0	ST	49	210	3
23	210	23	5	BKN	29.60	46	46	9	0	ST	49	220	3
24	215	16	5	BKN	29.60	47	46	9	350	ST	49	220	3

POSITION	ZONE	TIME
0800		
L <u>52-21N</u>	BY <u>2</u>	
λ <u>179-58W</u>	BY <u>2</u>	
1200		
L <u>52-30N</u>	BY <u>2</u>	
λ <u>178-54W</u>	BY <u>2</u>	
2000		
L <u>52-42N</u>	BY <u>2</u>	
λ <u>176-56W</u>	BY <u>2</u>	

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA
FROM _____ (ZT) (Date)
TO _____ (ZT) (Date)
SET _____
DRIFT _____
POSITION BETWEEN FIXES
MID. L _____
MID. λ _____

MILES STEAMED
0000-2400

240

FUEL CONSUMED
0000-2400

1805

REMARKS

00-04. Steaming in company with U.S.A. Holmes County (LST-836) enroute from Adak, Alaska to Point "dove". In accordance with CTC 93.0.4 Message 062254Z and COM HLTSEA FRONTIER OPORD 705-62. OTC is CTE 93.0.4.3 embarked in U.S.S. HOLMES COUNTY (LST-836). Base course 277° speed 11 kts 87 RPM. Number 2 and 3 main generators in the propeller loop. Number one 3/4 generator on ship power and operation. Material Condition Yoke set. 0103 °C 2800T. 0370 °C/base course 277°T. U.S.A. Holmes County (LST-836) is guide ship, maintaining station 1,000 yd astern.

Jeffrey CWO U.S.N.

04-08: UNDERWAY AS BEFORE. 2618 °S ALL STOP. 0624 °S 11.6 KNOTS. 0704 °S TO 10.8 KNOTS. 0745 MUSTERED THE CREW AT QUARTERS; ABSENTEES NONE.

W. J. F. GNS, USNR

APPROVED:

EXAMINED:

C. C. Reed Lt.

U.S.N. COMMANDING

B. L. Valke

U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPER 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF 96)THURSDAY 9 AUGUST, 1962
(Day) (Date) (Month)

08-12 underway as before on various courses and various speeds to maintain station 1000 yards astern of guide USS Holmes County (LST-836).

C.E. Mann

12-16 UNDERWAY AS BEFORE ON VARIOUS COURSES AND VARIOUS SPEED TO MAINTAIN STATION 1000 YDS. ASTERN OF GUIDE USS Holmes County (LST-⁸³⁶~~Holmes~~ County)

J.H. DeLoe USN

16-20 underway as before on various courses and various speeds to maintain station 1000 yards astern of guide
1741 G/base course 275° true 1756 G/Base course 265° true G/Base speed 7.5 kts. 1807 G/base course 260° true 1828 G/base course 255° true
1842 G/base course 240° true 1907 G/base course 245° true

C.E. Mann USN

20-24. Underway as before on various courses and various speeds to maintain station 1000 yards astern of guide. 2115 G/C 240° Base course.

J. H. DeLoe USN

APPROVED:

EXAMINED:

C.C. Reed Lt.

U.S.N. COMMANDING

R.L. Walker LTJG

U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION 410 DATE FRIDAY 10 AUGUST, 1962
(Day) (Date) (Month)

AT/PASSAGE FROM ADAK, ALASKA TO _____

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISI- BIL- ITY (Miles)	WEATH- ER (Sym- bols)	BAROM- ETER (Inches)	TEMPER- ATURE		CLOUDS			SEA WATER TEMPER- ATURE	WAVES	
	DIREC- TION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIREC- TION (True)	HEIGHT (Feet)
01	215	16	5	BKN	29.61	47	46	9	350	ST	49	210	3
02	215	14	5	BKN	29.61	47	46	6	350	ST	50	210	2
03	210	15	5	SC	29.62	47	46	4	350	SC	50	205	2
04	230	9	5	SC	29.62	47	46	5	350	SC	50	220	2
05	270	9	6	SC	29.61	47	46	5	350	SC	50	250	2
06	300	10	5	BKN	29.61	48	47	9	350	ST	50	250	2
07	270	12	3	F	29.61	48	47	10	350	ST	50	260	2
08	270	13	5	F	29.61	49	48	10	350	ST	53	260	2
09	270	12	7	BKN	29.63	49	48	8	350	ST	53	260	2
10	260	14	7	BKN	29.64	49	48	8	350	ST	53	260	2
11	275	10	7	BKN	29.65	49	48	8	350	ST	50	260	2
12	240	10	7	BKN	29.65	49	48	8	350	ST	50	250	2
13	245	14	7	BKN	29.66	50	49	8	350	ST	50	250	3
14	235	12	7	BKN	29.66	51	49	8	700	ST	50	240	3
15	255	12	7	BKN	29.65	52	49	8	1050	SC	50	265	3
16	250	7	7	BKN	29.64	52	49	8	1050	SC			
17	250	3	7	BKN	29.64	57	51	6	2100	SC			
18	250	4	7	BKN	29.64	56	51	6	1750	SC			
19	255	4	7	BKN	29.64	55	50	6	1750	SC			
20	250	4	7	BKN	29.66	54	50	6	1400	SC			
21	250	2	7	BKN	29.67	54	50	6	1400	SC			
22	250	2	7	BKN	29.68	54	50	6	1400	SC			
23	250	4	7	BKN	29.68	54	50	6	1400	SC			
24	250	7	6	BKN	29.69	51	49	8	1050	SC			

POSITION	ZONE	TIME
0800		
L <u>52-43N</u>	BY <u>2</u>	
λ <u>174-57E</u>	BY <u>2</u>	
1200		
L <u>52-34N</u>	BY <u>3</u>	
λ <u>174-13E</u>	BY <u>3</u>	
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA	
FROM _____	(ZT) _____ (Date) _____
TO _____	(ZT) _____ (Date) _____
SET _____	
DRIFT _____	
POSITION BETWEEN FIXES	
MID. L _____	
MID. λ _____	

MILES STEAMED
0000-2400

161.3

FUEL CONSUMED
0000-2400

856

REMARKS

00-04: UNDERWAY IN COMPANY WITH U.S.S. HOLMES COUNTY (IST-836)
ENROUTE FROM ADAK, ALASKA TO "JOINT LOVE", IN ACCORDANCE
WITH CTU 93.0.4 MSG, 062254Z AUGUST 1962 AND COMAL-
SEAFRON OPORD 205-62. CTC IS CTE 93.0.4.3 EMBARKED IN
U.S.S. HOLMES COUNTY (IST-836). BASE COURSE 240°, BASE SPEED
8.3 KNOTS. NUMBERS ONE AND THREE MAIN GENERATORS IN
THE PROPULSION LOOP, NUMBER ONE AUXILIARY GENERATOR
PROVIDING SHIP'S POWER & EXCITATION. READINESS CONNECTION
FIVE AND MATERIAL CONDITION YOKE ARE SET. SOPA IS COMMANDING
OFFICER, U.S.S. HOLMES COUNTY (IST-836). 0055 1/2 250°
0332 1/2 TO ^{HMS.} 315°

[Signature] ENS, USNR

04-08 UNDERWAY AS BEFORE. STEERING VARIOUS COURSES AND MAKING
VARIOUS SPEEDS TO MAINTAIN STATION 1000 YDS ASTERN OF GUIDE. 0720
RELEASED TO PROCEED INDEPENDENTLY INDEPENDENTLY BY CTE 93.0.4.3. *[Signature]*

APPROVED:

[Signature]

U.S.N. COMMANDING

EXAMINED:

[Signature]

U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAHI (ATF-96)

FRIDAY 10 AUGUST 1962
(Day) (Date) (Month)

9/2 to 319° 9/5 to 9 kts. 0730 9/2 to 180° 9/5 to 5 kts.
0753 9/5 to 11.3 kts.

JE Horton
En USN

08-12 UNDERWAY AS BEFORE 0808 SIGHTED LAND BEARING 180° T
0908 9/2 250° 1013 9/2 282° 1025 MADE DAILY INSPECTION OF
MAGAZINE AND SMOKELESS POWDER SAMPLES; CONDITION: NORMAL
MADE WEEKLY TEST OF MAGAZINE SPRINKLER SYSTEM; TEST:
SATISFACTORY

JAA DeJorne BMI

12-16 UNDERWAY AS BEFORE 1344 9/2 TO 300° 1419 9/2 TO 301 1449 9/2 TO 302°
1501 9/2 TO 303° 1510 9/2 TO 300° 1520 9/2 TO 297° 1521 SET MATERIAL CONDITION YOKE
1524 9/2 TO 293° 1525 SET SPECIAL SEA AND ANCHOR DETAIL 1526 9/2 TO 316° 9/5 10 KTS
1531 9/2 TO 314° 1532 9/2 TO 312° 1537 9/2 TO 315° 1540 9/2 TO 322° 1542 9/2 TO 346°
1544 9/2 TO 323° 1545 9/2 TO 320° 1547 9/2 TO 310° 1549 9/2 TO 307° 1551 9/2 TO 304°
1555 9/5 3.3 KTS 1558 9/2 TO 307° 1559 9/2 TO 310°

C. E. Mann BMI

16-20: UNDERWAY AS BEFORE. 1600 9/5 A/STOP 9/2 303° 1602 9/5 3.3 KTS. 9/5 A/STOP.
1604 9/5 BACK 80 RPM (2/3) 1605 ANCHORED IN 52 FEET OF WATER WITH
60 FATHOMS OF CHAIN TO THE STARBOARD ANCHOR ON THE FOLLOWING
BEARINGS: MARKER 199 3/4°, PIER 320°, ROCK 029 9/10°, ROCK 172°. SANDY
SHALE BOTTOM. 9/5 A/STOP. 1617 SECURED THE SPECIAL SEA AND
ANCHOR DETAIL.

H. E. Hagan, ENS USNR

20-24: ANCHORED AS BEFORE.

H. E. Hagan, ENS USNR

APPROVED:

EXAMINED:

CC Reed Lt

U.S.N. COMMANDING

A. L. Walker LtJG

U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10 DATE SATURDAY 11 AUGUST, 19 62
(Day) (Date) (Month)

AT/PASSAGE FROM ANCHOR, MASSACRE BAY, ATTU, ALASKA

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISI- BIL- ITY (Miles)	WEATH- ER (Sym- bols)	BAROM- ETER (Inches)	TEMPER- ATURE		CLOUDS			SEA WATER TEMPER- ATURE	WAVES	
	DIREC- TION (True)	SPEED (knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIREC- TION (True)	HEIGHT (Feet)
01	250	5	6	BKN	29.70	51	50	8	350	SC			
02	250	9	6	BKN	29.70	51	48	8	1050	SC			
03	220	15	6	BKN	29.70	52	49	8	1050	SC ^{WV}			
04	220	10	6	BKN	29.70	50	49	9	350	SC			
05	220	4	5	BKN	29.70	51	49	8	1050	SC			
06	225	3	5	BKN	29.70	51	49	8	700	SC			
07	225	4	6	BKN	29.70	51	48	7	1050	SC			
08	220	7	5	BKN	29.70	51	49	8	700	SC			
09	220	5	5	BKN	29.71	55	53	8	700	SC			
10	220	4	6	BKN	29.71	54	51	8	1050	SC			
11	195	7	5	BKN	29.72	53	50	8	1050	SC			
12	175	5	4	OVC	29.72	52	50	9	700	SC			
13	165	6	4	OVC	29.72	53	51	10	700	ST			
14	165	4	1	F	29.70	54	52	10	700	ST			
15	130	2	1	F	29.69	55	53	10	700	ST			
16	130	2	1	R	29.67	53	52	10	350	ST			
17	130	2	1	R	29.65	52	51	10	350	ST			
18	130	2	1	R	29.63	53	52	10	350	ST			
19	157	1	2	F	29.61	53	52	10	350	ST			
20	0	0	1	F	29.61	53	52	10	350	ST			
21	0	0	1	F	29.59	52	51	10	350	ST			
22	0	0	1	F	29.58	52	51	10	350	ST			
23	0	0	1	F	29.59	51	50	10	350	ST			
24	0	0	1	OVC	29.59	51	50	10	350	ST			

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	
1200		
L _____	BY _____	
λ _____	BY _____	
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA	
FROM _____	(ZT) (Date)
TO _____	(ZT) (Date)
SET _____	
DRIFT _____	
POSITION BETWEEN FIXES	
MID. L _____	
MID. λ _____	

MILES STEAMED
0000-2400

FUEL CONSUMED
0000-2400

440

REMARKS

AT MASSACRE BAY, ATTU ISLAND, ALASKA ^{WV}
00-04: ANCHORED IN 52 FATHOMS OF WATER WITH SANDY SHALE BOTTOM.
60 FATHOMS OF CHAIN VEERED TO THE STARBOARD ANCHOR ON THE
FOLLOWING BEARINGS: MARKER 199 ³/₄°, LEFT PIER 320°, ROCK 29 ⁹/₁₀°,
ROCK 172°. MATERIAL CONDITION YOKO SET. SOPA IS COMMANDING
OFFICER, U.S.S. ABNAKI (ATF-96)

Ab Swann, ENS, USNR

04-08: ANCHORED AS BEFORE. 0745 MUSTERED THE CREW ON STATIONS;
ABSENTEES NONE.

Ab Swann, ENS, USNR

APPROVED:

C. B. Reed Lt

U.S.N. COMMANDING

EXAMINED:

C. L. Welch Ltjg

U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP *MBNAKI (ATF-96)*SATURDAY 11, AUGUST, 1962
(Day) (Date) (Month)*08-12. Anchored as before. 1110 Made daily inspection of
magazines and another power sample; Condition
normal.**J. H. Hopper CWO U.S.N.**12-16. Anchored as before.**J. H. Hopper CWO U.S.N.**16-20 anchored as before. 1802. Set material Condition
"Yoke"**J. H. Hopper CWO U.S.N.**20-24. Anchored as before.**J. H. Hopper CWO U.S.N.*

APPROVED:

EXAMINED:

C. C. Reed Lt.

U.S.N. COMMANDING

R. L. Walker LTJG

U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNARI (ATF-96) ZONE DESCRIPTION +10 DATE SUNDAY 12 AUGUST 1962
 (Day) (Date) (Month)
 AT/PASSAGE FROM MTTU, ALASKA TO _____

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISI-BIL-ITY (Miles)	WEATH-ER (Sym-bols)	BAROM-ETER (Inches)	TEMPER-ATURE		CLOUDS			SEA WATER TEMPER-ATURE	WAVES	
	DIREC-TION (True)	SPEED (knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIREC-TION (True)	HEIGHT (Feet)
01	0	0	1	OK	29.60	51	50	10	350	SC			
02	0	0	1	OK	29.60	51	50	10	350	SC			
03	0	0	1	OK	29.62	51	50	10	350	SC			
04	0	0	1	OK	29.62	52	51	10	350	SC			
05	190	9	1	OK	29.63	52	51	10	350	SC			
06	0	0	1	OK	29.64	52	51	10	350	SC			
07	120	2	2	OK	29.66	52	51	10	350	SC			
08	180	2	2	OK	29.67	51	50	10	350	ST			
09	030	1	4	OK	29.67	52	51	10	350	SC			
10	020	1	4	OK	29.67	53	52	10	350	SC			
11	030	1	4	OK	29.69	53	51	9	350	SC			
12	030	1	5	OK	29.70	53	52	9	1050	ST			
13	030	2	6	OK	29.70	55	53	9	700	ST			
14	030	3	6	OK	29.70	58	54	9	1400	ST			
15	045	2	6	OK	29.70	55	52	9	1050	ST			
16	035	4	6	OK	29.70	57	54	9	1050	ST			
17	150	2	6	OK	29.70	56	54	9	700	ST			
18	130	4	6	OK	29.70	56	54	9	700	ST			
19	100	4	6	OK	29.70	56	54	9	700	ST			
20	030	7	5	OK	29.69	54	52	9	700	ST			
21	025	5	2	OK	29.70	54	52	10	700	ST			
22	010	4	1	OK	29.70	53	51	10	700	ST			
23	010	2	1/2	OK	29.70	52	51	10	350	ST			
24	010	1	1/2	F	29.70	52	51	10	350	ST			

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	
1200		
L _____	BY _____	
λ _____	BY _____	
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1 - CELESTIAL
 2 - ELECTRONIC
 3 - VISUAL
 4 - D. R.

CURRENT DATA	
FROM _____	(ZT) (Date)
TO _____	(ZT) (Date)
SET _____	
DRIFT _____	
POSITION BETWEEN FIXES	
MID. L _____	
MID. λ _____	

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400
787

REMARKS

00-04. Anchored in Massacre Bay, Attu, Alaska in 52 fathoms of water with sandy shale, bottom with 60 fathoms of chain to its starboard anchor on the following anchorage bearings, by Radar fixer, Ranger follow: Left Pier 670 yds, Rock 730 yds, Marker 1120 yds. Ship in condition of machine foul, material condition Yoke set, and dartsen except for anchor lights, Engineering department on 30 minutes notice for getting underway. Number 2 auxiliary generator on ship power SOPA in Commanding Officer U.S.A. Abnari, (ATF-96)

J. Hoppey CWO USN.

04-08. Anchored as before, 0755 Mustard its crew on station, absenting; work.

J. Hoppey CWO USN.

APPROVED:

CC Reed Lt.

U.S.N. COMMANDING

EXAMINED:

R. L. Walker LtJG

U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96)Sunday 12 August, 1962
(Day) (Date) (Month)

08-12 Anchored as before 1800 Made daily inspection of magazines
v and smokeless powder samples; Condition: normal.

R. L. Walker
LTJG USN

12-16 Anchored as before

R. L. Walker
LTJG USN

16-20 Anchored as before 1800 Let material Condition Yoke
throughout the ship.

R. L. Walker
LTJG USN

20-24 Anchored as before.

R. L. Walker
LTJG USN

APPROVED:

C. C. Reed Lt.

U.S.N. COMMANDING

EXAMINED:

R. L. Walker LTJG

U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION 410 DATE Monday 13 August, 19 66
(Day) (Date) (Month)
AT/PASSAGE FROM Attu, Alaska TO _____

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISI-BIL-ITY (Miles)	WEATH-ER (Sym-bols)	BAROM-ETER (Inches)	TEMPER-ATURE		CLOUDS			SEA WATER TEMPER-ATURE	WAVES	
	DIREC-TION (True)	SPEED (knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIREC-TION (True)	HEIGHT (Feet)
01	010	3	$\frac{1}{2}$	F	29.69	52	52	10	0	ST	50	020	1
02	020	4	1	F	29.69	52	52	10	0	ST	50	025	1
03	020	4	1	F	29.68	52	52	10	0	ST	50	025	1
04	180	6	$\frac{1}{2}$	F	29.66	51	50	10	0	ST	50	195	2
05	195	5	$\frac{1}{2}$	F	29.65	50	50	10	0	ST	50	200	2
06	200	5	$\frac{1}{2}$	F	29.63	49	49	10	0	ST	50	200	2
07	210	6	1	F	29.63	49	49	10	0	ST	50	215	2
08	325	6	$\frac{1}{2}$	F	29.62	49	49	10	0	ST	50	215	2
09	325	6	5	OK	29.62	50	50	9	0	ST	50	215	2
10	040	6	5	OK	29.66	51	50	9	350	ST	52	220	2
11	245	5	5	OK	29.68	52	51	10	350	ST	52	060	2
12	050	5	$\frac{1}{2}$	F	29.68	52	51	10	350	ST	52	060	2
13	045	10	$\frac{1}{2}$	F	29.69	52	51	10	350	ST	52	060	2
14	025	8	3	OK	29.70	52	50	10	700	RC	54	065	2
15	045	6	5	OK	29.70	52	50	10	700	SC	54	070	2
16	015	9	5	OK	29.70	52	50	10	700	SC	54	020	2
17	020	8	3	OK	29.70	52	50	10	700	ST	54	020	2
18	025	8	3	OK	29.71	52	50	10	700	ST	54	020	2
19	030	8	3	OK	29.72	52	50	10	700	ST	54	020	2
20	020	8	5	OK	29.73	50	49	10	350	ST	54	030	2
21	015	6	6	OK	29.74	49	48	10	350	ST	55	025	2
22	025	6	5	OK	29.76	48	48	10	0	ST	55	035	2
23	035	6	4	OK	29.77	48	48	10	0	ST	55	040	2
24	153	6	5	OK	29.78	49	48	10	350	ST	55	130	2

POSITION	ZONE	TIME
0800		
L <u>52-51N</u>	BY <u>4</u>	
λ <u>171-15E</u>	BY <u>4</u>	
1200		
L <u>52-55.5N</u>	BY <u>142</u>	
λ <u>170-50E</u>	BY <u>142</u>	
2000		
L <u>52-56N</u>	BY <u>1</u>	
λ <u>170-36E</u>	BY <u>1</u>	

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA	
FROM _____	(ZT) (Date)
TO _____	(ZT) (Date)
SET _____	
DRIFT _____	
POSITION BETWEEN FIXES	
MID. L _____	
MID. λ _____	

MILES STEAMED
0000-2400

176

FUEL CONSUMED
0000-2400

1198

REMARKS

04-04 Anchored in 52 feet of water, sandy shale bottom with 60 bottom of chain to the starboard anchor on the following bearing: White marker 199 $3/4$, Left Pier 320° Rock 030°, Shal Rock 172°. Material Condition yoke is set throughout the ship. Abnaki is only ship present. 50PP is Commanding Officer USS ABNAKI (ATF-96). 0036 Set special sea and anchor detail. 0102 WEIGHED

ANCHOR: UNDERWAY FOR CABLE AREA IN ACCORDANCE WITH CTU 93.04 MSG 131012Z.

VISIBILITY 200 YARDS. COMMENCED SOUNDING FOG SIGNALS.

STEERING VARIOUS COURSES AT VARIOUS SPEEDS TO CLEAR MASSACRE BAY. 0251 SECURED

THE SPECIAL SEA DETAIL. 0317C 281° @ 13.3 KTS. 0400 UNDERWAY

04-08 UNDERWAY AS BEFORE. 0750 MUSTERED CREW ON STATIONS
ABSENTEES: NONE

E. Foster
Ensign USN

APPROVED:

C. Reed Lt.

U.S.N. COMMANDING

EXAMINED:

A. L. Walker Ltjg

U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96)Monday 13 AUGUST 1962
(Day) (Date) (Month)

08-12 underway as before 0950 mustered crew absentees ⁰⁹⁰⁰
 0852 commenced to sound fog signals. 0907 maneuvering on
 various courses and various speeds to keep station on U.S.S. AEOLUS
 (ARC-3)

C.E. Mann BMI

12-16 UNDERWAY AS BEFORE MANEUVERING AT VARIOUS
 COURSES AND VARIOUS SPEED TO APPROACH U.S.S. AEOLUS (ARC-3)
 1325 MANEUVERING ON VARIOUS COURSES AND VARIOUS SPEEDS TO
 MAKE APPROACH TO U.S.S. AEOLUS (ARC-3) FOR STERN TO STERN
 TOW 1341 U.S.S. AEOLUS RECEIVED TOW WIRE 1345 COMMENCE
 TOWING U.S.S. AEOLUS (ARC-3) ON VARIOUS COURSES AND VARIOUS
 SPEEDS

J.P. De Lorme BMI

16-20 underway as before with U.S.S. AEOLUS (ARC-3) IN TOW
 stern to stern on various courses and various speeds.
 1700 payed out tow wire to 1260 feet 1713 payed out tow
 wire to 1250 feet 1721 heaved tow wire in to 760 feet.

C.E. Mann BMI

20-24 UNDERWAY AS BEFORE. U.S.S. AEOLUS ⁴⁴⁵ (ARC-3) IN TOW STERN TO STERN.
 MANEUVERING AT VARIOUS COURSES AND SPEEDS AS SIGNALLED BY
 C.O. U.S.S. AEOLUS (ARC-3). TOW IN STEP

J. L. Walker ENS (SNR)

APPROVED:

EXAMINED:

C.C. Reed Lt.

U.S.N. COMMANDING

J. L. Walker LTJG

U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS AGNARI (ATF-96) ZONE DESCRIPTION +10 DATE TUESDAY 14 AUGUST, 1962
(Day) (Date) (Month)

AT/PASSAGE FROM _____ TO _____

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISI- BIL- ITY (Miles)	WEATH- ER (Sym- bols)	BAROM- ETER (Inches)	TEMPER- ATURE		CLOUDS			SEA WATER TEMPER- ATURE	WAVES	
	DIREC- TION (True)	SPEED (knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIREC- TION (True)	HEIGHT (Feet)
01	153	8	5	OK	29.78	52	50	10	700	ST	55	135	2
02	356	6	5	OK	29.78	53	51	10	700	ST	55	355	2
03	346	7	5	OK	29.80	54	51	10	1050	ST	65	350	2
04	000	5	4	OK	29.81	55	52	10	1050	ST	65	355	2
05	350	4	3	F	29.81	55	53	10	700	ST	65	355	1
06	340	3	3	L	29.82	54	52	10	700	ST	65	345	1
07	015	5	4	OK	29.84	53	51	10	700	ST	65	355	1
08	010	3	4	OK	29.84	53	51	10	700	ST	65	355	1
09	010	2	4	OK	29.85	53	51	10	700	ST	65	355	1
10	020	3	5	OK	29.86	54	52	10	700	ST	65	355	1
11	020	3	5	OK	29.87	54	52	10	700	ST	65	350	1
12	025	3	5	OK	29.87	54	52	10	700	ST	65	350	1
13	260	2	6	OK	29.88	57	54	10	1050	ST	65	270	1
14	255	2	6	OK	29.89	57	54	9	1050	ST	65	260	1
15	220	4	6	OK	29.90	57	54	9	1050	ST	65	240	1
16	275	4	6	OK	29.88	60	55	10	1750	ST	65	200	1
17	220	3	6	OK	29.89	60	55	10	1750	ST	65	200	1
18	295	3	6	OK	29.88	57	53	10	1400	ST	65	150	1
19	295	3	6	OK	29.88	58	54	10	1400	ST	55	150	1
20	245	2	6	OK	29.88	58	54	10	1400	ST	55	260	1
21	260	3	6	OK	29.88	56	53	10	1050	ST	55	265	1
22	135	3	4	OK	29.88	53	51	9	700	ST	55	125	1
23	215	5	5	OK	29.88	51	49	10	700	ST	55	175	1
24	215	5	5	OK	29.87	51	49	10	700	ST	55	175	1

POSITION	ZONE	TIME
0800		
L <u>52-54 N</u>	BY <u>142</u>	
λ <u>170-36 E</u>	BY <u>142</u>	
1200		
L <u>52-56 N</u>	BY <u>2</u>	
λ <u>170-40 E</u>	BY <u>2</u>	
2000		
L <u>52-55 N</u>	BY <u>2</u>	
λ <u>170-40 E</u>	BY <u>2</u>	

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA
FROM _____ (ZT) _____ (Date)
TO _____ (ZT) _____ (Date)
SET _____
DRIFT _____
POSITION BETWEEN FIXES
MID. L _____
MID. λ _____

MILES STEAMED 0000-2400
<u>80.6</u>

FUEL CONSUMED 0000-2400
<u>1197</u>

REMARKS

UNDERWAY
ΦΦ-Φ4 UNDER IN ACCORDANCE WITH COM A-SEA FROM OPORD 205-62 SEN
IN COMPANY WITH USS AEOLUS (ARC-3) [CTU-93.0.4] AND USS HOLMES
COUNTY (LST-836) [CTE 93.0.4.3] IN VICINITY OF P. HOVE. HAVE USS
SEN AEOLUS (ARC-3) INTOW WITH 600 FT OF WIRE OUT. OTC IS CTU 93.0.4
IN AEOLUS (ARC-3). STEERING VARIOUS COURSES AND MAKING VARIOUS
SPEED AS DIRECTED BY OTC. CONDITION YORE SET THRU OUT SHIP.
Φ124 CAST OFF TOW WIRE FROM AEOLUS (ARC-3) Φ110 1/2 TO 140
1/5 30 RPM - 4.0 KNTS. Φ150 1/2 230 1/3 TO 15 RPM 1.7 KNTS Φ224 1/2 TO 290
Φ306 1/2 TO Φ20° Φ309 1/2 TO 350° Φ315 1/2 TO Φ30° 1/2 TO 355°
K. Horton Enr USN.

OH-08 Underway as before. Manoeuvring at various speed
and course changes to maintain 4000 feet distance
from U.S.A. Aeolus (ARC-3). Watched crew on station
absentees, none.
J. Rafferty Enr USN

APPROVED:

C. Reed Lt

U.S.N. COMMANDING

EXAMINED:

B. L. Walker LtJG

U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF96)TUESDAY 14 AUGUST, 1962
(Day) (Date) (Month)

08-12 UNDERWAY AS BEFORE 1023 RECEIVED MAGAZINE TEMP ~~REPORT~~ ~~REPORT~~ NORMAL MADE DAILY INSPECTION OF MAGAZINE AND SMOKELESS POWDER SAMPLES; CONDITION: NORMAL *J.H. De Jure BMI*

12-16 underway as before 1400 maneuvered at various courses and speed to make approach to Tour. 1436 commenced towing USS Aqueduct (ARC3) on various courses and speeds

C.E. Mann BMI 1

16-20 UNDERWAY AS BEFORE

J.H. De Jure BMI

20-24 UNDERWAY AS BEFORE.

L.E. Horton En USN

APPROVED:

EXAMINED:

C.C. Reed Lt.

U.S.N. COMMANDING

A.L. Walker LtJG

U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10 DATE WEDNESDAY 15 AUGUST, 1962
(Day) (Date) (Month)

AT/PASSAGE FROM _____ TO _____

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Sym-bols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	220	4	5	OK	29.86	54	51	10	1050	ST	55	170	1
02	200	3	5	OK	29.85	53	50	10	1050	ST	53	170	1
03	175	11	5	OK	29.83	51	50	10	350	ST	53	170	1
04	180	10	4	OK	29.81	50	49	10	350	ST	54	190	2
05	190	9	4	OK	29.80	50	49	10	350	ST	54	190	2
06	210	9	4	OK	29.80	50	49	10	350	ST	53	180	2
07	200	10	5	OK	29.79	50	50	10	0	ST	53	190	2
08	195	16	5	OK	29.78	50	49	10	350	ST	53	195	2
09	195	16	5	OK	29.75	51	50	10	350	ST	55	165	2
10	155	17	4	OK	29.74	49	48	10	350	ST	55	165	2
11	145	19	4	OK	29.72	50	49	10	350	ST	55	165	2
12	150	18	4	OK	29.68	51	50	10	350	ST	55	155	3
13	140	21	4	OK	29.64	51	50	10	350	ST	56	150	3
14	135	19	5	L	29.62	51	50	10	350	ST	54	150	3
15	140	21	4	OK	29.60	51	50	10	350	ST	55	150	3
16	130	23	4	OK	29.54	51	50	10	350	ST	55	150	3
17	130	25	2	F	29.50	50	49	10	350	ST	55	145	4
18	095	29	3	F	29.46	50	49	10	350	ST	55	145	4
19	100	22	3	F	29.43	50	49	10	350	ST	55	145	4
20	110	27	3	F	29.40	50	49	10	350	ST	55	125	4
21	160	34	3	OK	29.36	49	49	10	0	ST	55	140	4
22	140	30	3	OK	29.35	51	51	10	0	ST	55	140	4
23	120	27	1	OK	29.33	50	50	10	0	ST	55	110	4
24	115	8	3	OK	29.35	52	51	10	350	ST	55	120	3

POSITION	ZONE	TIME
0800		
L <u>52-48N</u>	BY <u>2</u>	
λ <u>170-56E</u>	BY <u>2</u>	
1200		
L <u>52-50N</u>	BY <u>2</u>	
λ <u>171-24E</u>	BY <u>2</u>	
2000		
L <u>53-07N</u>	BY <u>2</u>	
λ <u>172-17E</u>	BY <u>2</u>	

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA
FROM _____ (ZT) _____ (Date)
TO _____ (ZT) _____ (Date)
SET _____
DRIFT _____
POSITION BETWEEN FIXES
MID. L _____
MID. λ _____

MILES STEAMED
0000-2400

141.5

FUEL CONSUMED
0000-2400

752

REMARKS

00-04 Underway in company with U.S.S. Acolus (ATF-3) and U.S.S. Holmes County (LST-836) in vicinity of Port Lemp. In accordance with COMNASEAFRON Op Ord 205-62 U.S.S. Acolus (ATF-3) in tow, stern first with 800 ft of tow wire out on barge. OTC is CTU 93.0.4. SOPA in CTU 93.0.4. on board U.S.S. Acolus (ATF-3). Steering via main compass and making various speed as directed by OTC. Condition 40s set then out of ship, 1, 2, 3, and 4. Main generator in the propulsion loop. Number 1 auxiliary generator on ship power and excitation paralleled with #3 1/2 generator for ship power.

Jeffrey CWO U.S.N.

04-08: UNDERWAY AS BEFORE. 0724 BROKE THE TOW WITH ~~THE~~ THE

U.S.S. Acolus (ATF-3) 0759 Mended the tow on station. Weather: none.

W. J. Swan, ENS, USNR

APPROVED:

C. C. Reed Lt.

U.S.N. COMMANDING

EXAMINED:

B. L. Walker Ltjg

U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96)WEDNESDAY 15 AUGUST, 1962
(Day) (Date) (Month)

08-12 ~~mustard gas abatement~~ none. Underway as before. 3
 0955 helicopter hovering over far tail picked up mail.

C.E. Mann Bm1

12-16 UNDERWAY AS BEFORE

J.H. DeLoe Bm1

16-20 UNDERWAY AS BEFORE. 1849 COMMENCED STEERING VARIOUS COURSES
 AND SPEEDS TO TAKE STATION OFF STBD BOW OF USS AEOLUS (ARC 3)
 DISTANCE 800 YDS 1950 ON STATION WITH AEOLUS (ARC 3) BEARING 260°T
 DISTANCE 900 YDS BASE COURSE 070 BASE SPEED 35 RPMs 4.6 KNTS

J.E. Horton
 Enr USN

20-24 Underway as before.

J. H. DeLoe CWO U.S.N.

APPROVED:

EXAMINED:

C.C. Buel Lt.

U.S.N. COMMANDING

B. L. Walker LTJG

U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10 DATE THURSDAY 16 AUGUST 19 62
(Day) (Date) (Month)

AT/PASSAGE FROM _____ TO _____

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISI- BIL- ITY (Miles)	WEATH- ER (Sym- bols)	BAROM- ETER (Inches)	TEMPER- ATURE		CLOUDS			SEA WATER TEMPER- ATURE	WAVES	
	DIREC- TION (True)	SPEED (knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIREC- TION (True)	HEIGHT (Feet)
01	075	3	4	OVC	29.35	51	50	10	350	ST	55	080	2
02	155	5	4	OVC	29.34	52	51	10	350	ST	55	155	2
03	150	9	4	OVC	29.30	51	50	10	350	ST	55	155	2
04	155	9	6	OVC	29.33	52	50	9	700	ST	55	150	2
05	160	8	6	OVC	29.32	52	50	9	700	ST	55	150	2
06	195	17	5	L	29.30	50	49	10	350	ST	55	150	2
07	175	20	1	F	29.30	50	49	10	350	ST	55	160	2
08	170	17	1	OVC	29.30	50	49	10	350	ST	55	160	2
09	140	14	1	OVC	29.30	50	49	10	350	ST	55	160	2
10	150	10	1	F	29.30	50	49	10	350	ST	55	160	2
11	160	9	1	F	29.30	51	49	10	700	ST	55	160	2
12	125	7	3	F	29.30	51	50	10	350	ST	55	160	2
13	130	7	3	OVC	29.29	51	50	10	350	ST	55	130	2
14	150	8	4	OVC	29.28	51	50	10	350	ST	56	140	2
15	095	7	1/2	OVC	29.28	50	50	10	0	ST	57	135	2
16	030	5	1/2	OVC	29.28	51	50	10	350	ST	57	135	2
17	030	5	1	OVC	29.28	51	50	10	350	ST	57	135	2
18	020	5	1/2	OVC	29.30	51	50	10	350	ST	57	100	2
19	330	5	4	OVC	29.31	50	49	10	350	ST	57	060	3
20	350	9	3	OVC	29.32	50	49	10	350	ST	57	340	3
21	345	13	2	F	29.32	48	48	10	0	ST	56	345	3
22	355	16	1	F	29.34	48	48	10	0	ST	55	345	3
23	350	15	1/2	F	29.35	48	48	10	0	ST	55	340	3
24	350	14	1/2	F	29.35	48	48	10	0	ST	55	350	2

POSITION	ZONE	TIME
0800		
L <u>53-12N</u>	BY <u>2</u>	
λ <u>173-26E</u>	BY <u>2</u>	
1200		
L <u>53-07N</u>	BY <u>2</u>	
λ <u>173-56E</u>	BY <u>2</u>	
2000		
L <u>52-54N</u>	BY <u>2</u>	
λ <u>174-38E</u>	BY <u>2</u>	

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA	
FROM _____	(ZT) (Date)
TO _____	(ZT) (Date)
SET _____	
DRIFT _____	
POSITION BETWEEN FIXES	
MID. L _____	
MID. λ _____	

MILES STEAMED 0000-2400
<u>132.3</u>

FUEL CONSUMED 0000-2400
<u>923</u>

REMARKS

00-04: UNDERWAY IN COMPANY WITH U.S.S. AEOLUS (ARC-3) IN THE VICINITY OF POINT LOUE CABLE AREA, IN ACCORDANCE WITH COMALSEAOPORD 205-62, OTC IS CTU 93.0.4 ABOARD U.S.S. AEOLUS (ARC-3). BASE COURSE 070, BASE SPEED 4.5 KNOTS. NUMBER TWO MAIN GENERATOR IN THE PROPULSION LOOP. NUMBER TWO AUXILIARY AND NUMBER THREE MAIN GENERATORS PROVIDING SHIP'S POWER, WITH EXCITATION ON NUMBER ⁴⁸⁵ THREE MAIN GENERATOR. MATERIAL CONDITION YOKO AND READINESS CONDITION FIVE ARE SET. GUIDE IS U.S.S. AEOLUS (ARC-3); MAINTAINING STATION 1000 TO 1500 YARDS ASTERN. SCOPA IS ⁴⁸⁵ CTU 9 COMMANDING OFFICER, U.S.S. AEOLUS (ARC-3). MANEUVERING AT VARIOUS COURSES AND SPEEDS TO MAINTAIN STATION ON THE GUIDE.
(W) JWG, ENS, USNR.

04-08 UNDERWAY AS BEFORE. 0745 MUSTERED CREW ON STATIONS
ABSENTEES: NONE.

APPROVED:

EXAMINED:

CC Breed Lt.

U.S.N. COMMANDING

LC Horton En USN
RL Walker Ltjg

U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF 90)THURSDAY 16 AUGUST, 1962
(Day) (Date) (Month)08-12 UNDERWAY AS BEFORE MADE DAILY INSPECTION OF MAGAZINE AND SMOKELESS POWDER SAMPLES; CONDITION: NORMALJ. H. DeLoe BMI12-16 underway as before 1250 exercised crew at general quarters. 1350 secured from general quartersC. E. Man BMI16-20 Underway as before.J. H. DeLoe CWO-3 N.20-24: UNDERWAY AS BEFORE.W. E. DeLoe ENSR.

APPROVED:

C. C. Reed Lt.

U.S.N. COMMANDING

EXAMINED:

D. E. Walker 456

U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI (ATF 96) ZONE DESCRIPTION +10 DATE Friday 17 August, 19 62
AT/PASSAGE FROM POINT LOVE TO ADAK ALASKA

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISI- BIL- ITY (Miles)	WEATH- ER (Sym- bols)	BAROM- ETER (Inches)	TEMPER- ATURE		CLOUDS			SEA WATER TEMPER- ATURE	WAVES	
	DIREC- TION (True)	SPEED (knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIREC- TION (True)	HEIGHT (Feet)
01	350	14	1	F	29.37	48	48	10	0	ST	55	350	
02	340	10	1	F	29.38	48	48	10	0	ST	55	350	
03	300	12	1/2	F	29.38	48	48	10	0	ST	55	320	
04	330	11	1/2	F	29.41	47	47	10	0	ST	54	340	
05	350	12	1/2	F	29.42	47	47	10	0	ST	54	355	
06	010	12	1/2	F	29.43	47	47	10	0	ST	53	025	
07	040	11	1/2	F	29.44	47	47	10	0	ST	53	045	
08	025	13	2	OVC	29.48	47	47	10	0	ST	53	030	
09	358	10	2	OVC	29.50	48	47	10	350	ST	53	000	
10	005	13	3	OVC	29.54	48	47	10	350	ST	53	000	
11	020	17	3	OVC	29.56	48	47	10	350	ST	53	010	
12	000	16	4	OVC	29.56	48	47	10	350	ST	50	010	
13	000	18	6	OVC	29.60	49	47	10	700	ST	50	005	
14	005	17	5	OVC	29.62	50	48	10	700	ST	50	010	
15	005	17	5	OVC	29.64	48	47	10	350	ST	50	010	
16	005	15	5	OVC	29.66	48	47	10	350	ST	50	010	
17	000	10	5	OVC	29.67	48	47	10	350	ST	50	010	
18	000	10	5	OVC	29.68	48	47	10	350	ST	51	010	
19	010	9	5	OVC	29.69	48	47	10	350	ST	51	010	
20	005	9	3	OVC	29.68	48	48	10	0	ST	53	010	
21	000	9	5	OVC	29.68	49	48	9	350	ST	53	010	
22	010	8	4	OVC	29.71	48	47	9	350	ST	53	020	
23	050	8	3	OVC	29.72	48	47	9	350	ST	54	010	
24	340	9	3	OVC	29.74	48	47	10	350	ST	54	350	

POSITION	ZONE	TIME
0800		
L <u>52-43N</u>	BY <u>2</u>	
λ <u>176-02E</u>	BY <u>2</u>	
1200		
L <u>52-40N</u>	BY <u>2</u>	
λ <u>176-25E</u>	BY <u>2</u>	
2000		
L <u>52-35N</u>	BY <u>2</u>	
λ <u>177-30E</u>	BY <u>2</u>	

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA	
FROM _____	(ZT) _____ (Date) _____
TO _____	(ZT) _____ (Date) _____
SET _____	
DRIFT _____	
POSITION BETWEEN FIXES	
MID. L _____	
MID. λ _____	

MILES STEAMED 0000-2400
<u>137.4</u>

FUEL CONSUMED 0000-2400
<u>1140</u>

REMARKS

ΦΦ-Φ4 UNDERWAY IN COMPANY WITH USS AEGEUS (ARC-3) IN THE VICINITY OF POINT LOVE. CABLE AREA IN ACCORDANCE WITH COMALSEA FROM OPORD 205-62. OTC IS CTU 93.Φ.4 IN USS AEGEUS (ARC-3) BASE COURSE 105° BASE SPEED 4.5 KNTS. GUIDE IS USS AEGEUS (ARC-3). STEERING VARIOUS COURSES AND MAKING VARIOUS SPEEDS TO MAINTAIN STATION 1.ΦΦΦ TO 1.5ΦΦ FROM GUIDE WITH GUIDE BEARING 150°T. SOPA IS COMMANDING OFFICER USS AEGEUS (ARC-3)

J. E. Hooton
Ensign USN

04-08. Underway as before. 0745 Mustard crew on station abeam; none

J. E. Hooton CWO USN

APPROVED:

C. C. Reed Lt.

U.S.N. COMMANDING

EXAMINED:

R. L. Walker Lt. 1486

U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI ATF 96FRIDAY 17 AUGUST 1962
(Day) (Date) (Month)

08-12 underway as before 0945 mustered crew on stations
~~standby~~ MADE DAILY INSPECTION OF MAGAZINE AND SMOKELESS POWDER CONDITION
 NORMAL MADE WEEKLY TEST OF SPRINKLER SYSTEM C.E. Mann Bm1
 TEST SATISFACTORY

12-16 UNDERWAY AS BEFORE 1224 EXERCIZED THE CREW AT
 GENERAL QUARTERS 1413 SECURED FROM GENERAL QUARTERS.

J.P. DeLoe

16-20: UNDERWAY AS BEFORE.

H. L. Jones, ENS, USNR

20-24 UNDERWAY AS BEFORE 2315 CHANGED BASE COURSE
 TO 135°

L. C. Horton ENS USN

APPROVED:

EXAMINED:

C.C. Reed Lt

U.S.N. COMMANDING

B. L. Walker LTJG

U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF 96)SATURDAY 18 AUGUST, 1962
(Day) (Date) (Month)

68-12 UNDER WAY AS BEFORE ~~0835~~ ⁰⁸⁵⁶ RECEIVED MAGAZINE TEMP. REPORT
 NORMAL MADE DAILY INSPECTIONS OF MAGAZINE AND SMOKELESS POWDER SAMPLES;
 CONDITIONS: NORMAL. JPH D. J. J. BMI

12-16 under way as before 1252 released by CTO 930.4
 to proceed on route to Adak Alaska 1254 $\frac{1}{2}$ to 090
 1304 $\frac{1}{8}$ to 75 RPM.

C.E. Mann BMI

1620 UNDER WAY AS BEFORE

JPH D. J. J. BMI

20-24 Underway as before 2020. Visibility decreased
 to approximately 3 miles. 2029 Commenced sounding
 fog signal, 2045 $\frac{1}{2}$ (87 RPM) 11 hrs. 2045 $\frac{1}{2}$ (60 RPM)
 7.7 hrs. 2100 $\frac{1}{8}$ (87 RPM) 11 hrs. 2105 $\frac{1}{8}$ (60 RPM) 7.7 hrs.
 2107 $\frac{1}{8}$ (95 RPM) 11.8 hrs. 2112 $\frac{1}{8}$ (60 RPM) 7.7 hrs. 2119
 secured from fog signal $\frac{1}{8}$ (95 RPM) 11.8 hrs. 2251
 $\frac{1}{8}$ (60 RPM) 7.7 hrs. 2258 Commenced fog signal, 2318
 Ceased fog signal, 2337 Hold land on Radar Bearing
 118°T Dist approximately 38,900 yds.

J. L. Hopper CWO. U.S.N.

APPROVED:

EXAMINED:

C. C. Reed Lt.

U.S.N. COMMANDING

A. L. Walker LtJG

U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNARI (ATF-94) ZONE DESCRIPTION +14 DATE Sunday 19 August, 1962
(Day) (Date) (Month)

AT/PASSAGE FROM _____ TO _____

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISI-BIL-ITY (Miles)	WEATH-ER (Sym-bols)	BAROM-ETER (Inches)	TEMPER-ATURE		CLOUDS			SEA WATER TEMPER-ATURE	WAVES	
	DIREC-TION (True)	SPEED (knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIREC-TION (True)	HEIGHT (Feet)
01	010	8	2	F	29.68	47	46	10	350	ST	48	000	1
02	020	7	5	OK	29.69	47	46	10	350	ST	48	000	1
03	020	6	5	OK	29.69	47	46	10	350	ST	48	080	1
04	030	6	4	OK	29.69	47	46	10	350	ST	48	080	1
05	035	5	4	BKN	29.68	46	45	8	350	RC	48	085	1
06	045	7	4	BKN	29.66	46	45	8	350	RC	48	080	1
07	055	10	5	BKN	29.64	47	45	8	700	RC			
08	055	3	5	OK	29.63	49	48	10	350	ST			
09	080	3	3	R	29.63	49	48	10	350	ST			
10	080	4	3	R	29.60	49	48	10	350	ST			
11	070	7	3	R	29.57	49	48	10	350	ST			
12	070	6	4	L	29.56	49	48	10	350	ST			
13	070	8	4	L	29.53	49	48	10	350	ST			
14	070	8	4	L	29.50	48	47	10	350	ST			
15	070	6	2	L	29.49	47	47	10	0	ST			
16	070	6	2	L	29.46	48	47	10	350	ST			
17	070	6	2	L	29.44	48	47	10	350	ST			
18	070	8	2	L	29.43	48	47	10	350	ST			
19	075	9	2	L	29.43	48	47	10	350	ST			
20	070	9	3	L	29.42	48	47	10	350	ST			
21	070	9	4	L	29.42	48	47	10	350	ST			
22	070	9	4	OK	29.41	48	47	10	350	ST			
23	080	10	5	OK	29.41	48	47	10	350	ST			
24	085	10	2	OK	29.42	48	47	10	350	ST			

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	
1200		
L _____	BY _____	
λ _____	BY _____	
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA	
FROM _____	(ZT) (Date)
TO _____	(ZT) (Date)
SET _____	
DRIFT _____	
POSITION BETWEEN FIXES	
MID. L _____	
MID. λ _____	

MILES STEAMED 0000-2400
98.2

FUEL CONSUMED 0000-2400
1420

REMARKS

00-04: ¹⁴¹⁵ ~~ST~~ UNDERWAY INDEPENDENTLY ENROUTE TO ADAK, ALASKA IN ACCORDANCE WITH COMALSEAFRON CORD 205-62 ON BASE COURSE 083°, BASE SPEED 11.8 KNOTS. MATERIAL CONDITION YOK AND READINESS CONDITION FIVE ARE SET. 0013 1/2 BASE CUS TO 087°

H. J. Green, ENS, USNR

04-08 UNDERWAY AS BEFORE 0542 1/2 TO 107° 0617 1/2 TO 130° 0639 1/2 TO 180° 0710 1/2 TO 240° 0720 Put No. 2+3 MAIN GENERATOR IN PROPUSION LOOP. SHIFTED MOTOR CONTROL TO BRIDGE. 0730 SET SPECIAL SEA DETAIL. 0735 1/2 TO 256° 0740 1/2 TO 23 RPM 0745 1/2 TO 25 RPM 0746 MANUEVERING ON VARIOUS COURSES AND SPEEDS TO COME PER ALONG TO STARBOARD SIDE TO PIER EIGHT, ADAK, ALASKA. 0758 MOORED STARBOARD SIDE TO PIER EIGHT, ADAK, ALASKA WITH FOUR 2" SPRING LAY LINE DOWNED.

*Leslie E. Horton
ENS USNR*

APPROVED:

EXAMINED:

C. C. Reed Lt.

U.S.N. COMMANDING

B. L. Walker

U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP *HBNAKI (HTF-96)**SUNDAY 19 AUGUST 1962*
(Day) (Date) (Month)*08-12. Moored as before. 0800 Mustard crew on station. Abrintus none. 0947 Made daily inspection of magazines and smokless powder samples. Condition normal.**Jeffrey CWO U.S.N.**12-16. Moored as before. 1500 U.S.A. Aeolus (HRC-3) entered port assumed duties as S.O.P.A. from U.S.A. Thor (HRC-4)**Jeffrey CWO U.S.N.**16-20 Moored as before. Set material Condition Yoke. 1930 Number 1 main engine out of Commission for P.M.S.**Jeffrey CWO U.S.N.**20-24. Moored as before.**Jeffrey CWO U.S.N.*

APPROVED:

C.C. Reed Lt.

U.S.N. COMMANDING

EXAMINED:

L.L. Walker LtSL

U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION 410 DATE Monday 20 August, 19 62
(Day) (Date) (Month)
AT/PASSAGE FROM Adak, Alaska TO _____

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISI- BIL- ITY (Miles)	WEATH- ER (Sym- bols)	BAROM- ETER (Inches)	TEMPER- ATURE		CLOUDS			SEA WATER TEMPER- ATURE	WAVES	
	DIREC- TION (True)	SPEED (knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIREC- TION (True)	HEIGHT (Feet)
01	080	7	2	L	29.42	48	47	10	350	ST			
02	078	7	2	L	29.42	48	47	10	350	ST			
03	075	5	1	L	29.42	48	47	10	350	ST			
04	075	5	1	L	29.41	48	46	10	700	ST			
05	060	5	1	L	29.42	47	46	10	350	ST			
06	055	6	1	OVC	29.44	47	46	10	350	ST			
07	050	6	4	OVC	29.46	48	47	10	350	ST			
08	010	22	1	OVC	29.49	48	48	10	0	ST			
09	015	10	1	OVC	29.52	49	48	10	350	ST			
10	015	19	1	OVC	29.55	50	49	10	350	ST			
11	015	22	2	OVC	29.57	50	49	10	350	ST			
12	000	18	2	OVC	29.61	52	50	10	700	ST			
13	355	15	3	OVC	29.64	53	50	10	1050	ST			
14	355	12	2	L	29.65	52	51	10	350	ST			
15	355	8	4	OVC	29.66	55	53	10	700	ST			
16	340	9	4	OVC	29.68	57	50	10	1750	ST			
17	347	8	4	OVC	29.69	52	50	10	700	ST			
18	347	8	4	OVC	29.73	52	51	10	350	ST			
19	347	8	4	OVC	29.74	53	51	10	700	ST			
20	240	6	4	OVC	29.78	51	49	10	700	ST			
21	240	2	4	OVC	29.79	49	47	10	700	ST			
22	245	2	4	OVC	29.80	48	47	10	550	ST			
23	245	2	4	OVC	29.84	48	47	10	350	ST			
24	260	8	4	OVC	29.84	49	47	10	700	ST			

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	
1200		
L _____	BY _____	
λ _____	BY _____	
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA	
FROM _____	(Date)
(ZT)	
TO _____	(Date)
(ZT)	
SET _____	
DRIFT _____	
POSITION BETWEEN FIXES	
MID. L _____	
MID. λ _____	

MILES STEAMED
0000-2400

FUEL CONSUMED
0000-2400

436

REMARKS

00-04. Moored starboard side to pier 8 U.S. Naval Station, Adak, Alaska, with standard mooring lines doubled up, wire out forward and aft, spring log doubled up on 2 and 3. Material Condition Yoke set. Receiving fresh water and telephone service from the pier. Ship's present includes various ship and unit of the U.S. Pacific Fleet and various district craft. SCPA in Commanding Officer U.S.A. Aeolus (ARC-3.)

J. H. Hopper CWO USN

04-08. Moored as before. 0745 Mustered crew at Quarters for muster and inspecting absentee roll.

J. H. Hopper CWO USN

APPROVED:

C. C. Reed Lt.

U.S.N. COMMANDING

EXAMINED:

G. L. Walter LtJG

U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP

ABNAKI (ATF 96)

Monday 20 August, 1962
(Day) (Date) (Month)

08-12 Moved on before. 1000 Made daily inspection of magazine and smokeless powder samples; Condition: normal.

R. L. Walker
LTJG USN

12-16 Moved on before. 1516 Let the Special Sea and Anchor Detail. ^{Captain and Navigator on bridge} 1517 YTB-401 came alongside to port and made up. 1523 Underway ^{Under way} in accordance with verbal orders from port control for pier 10, U.S. Naval Station, Adak, Alaska. Steaming various courses and speeds while changing berth. 1542 Moved starboard side to pier 10, U.S. Naval Station, Adak, Alaska with standard mooring line duffed to the pier. 1548 Secured the Special Sea and Anchor Detail. Let regular input watch. 1556 Commenced taking on fuel. Draft: Fwd 14'6" Aft 15'8".

R. L. Walker
LTJG USN

16-20 Moved on before. 1650 Secured taking on fuel. Draft: Fwd 13'4" Aft 16'2" 1651 Let the Special Sea and Anchor Detail. ^{Captain and Navigator on bridge} 1703 Underway ^{Under way} in accordance with verbal orders from port control for pier 3, U.S. Naval Station, Adak, Alaska. Steaming various courses and speeds while changing berth. 1718 Moved starboard side to pier 3, U.S. Naval Station, Adak, Alaska with standard mooring line duffed, wire spring line duffed at station lines 2 & 3. Receiving fresh water and telephone service from the pier. 1728 YTB-401 came off. 1729 Secured the Special Sea and Anchor Detail. Let regular input watch. 1800 Let Material Condition Spike.

R. L. Walker
LTJG USN

20-24 Moved on before.

R. L. Walker
LTJG USN

APPROVED:

EXAMINED:

CC Reed Lt

U.S.N. COMMANDING

R. L. Walker LTJG

U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKE (ATF-96) ZONE DESCRIPTION 410 DATE Tuesday 21 August, 19 62
 (Day) (Date) (Month)
 AT/PASSAGE FROM ADAK, ALASKA TO _____

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISI-BIL-ITY (Miles)	WEATH-ER (Sym-bols)	BAROM-ETER (Inches)	TEMPER-ATURE		CLOUDS			SEA WATER TEMPER-ATURE	WAVES	
	DIREC-TION (True)	SPEED (knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIREC-TION (True)	HEIGHT (Feet)
01	275	8	4	OK	29.86	49	47	10	700	ST			
02	270	10	4	OK	29.87	49	46	10	350	ST			
03	270	10	4	OK	29.89	49	46	10	350	ST			
04	270	1	2	OK	29.89	48	48	10	350	ST			
05	270	8	2	OK	29.90	48	48	10	350	ST			
06	265	9	2	OK	29.91	48	47	10	350	ST			
07	235	6	4	OK	29.93	48	47	10	350	ST			
08	265	4	5	OK	29.94	48	47	10	350	ST			
09	235	4	5	OK	29.96	48	47	10	350	ST			
10	265	4	5	OK	29.98	49	48	10	350	ST			
11	235	3	4	OK	30.00	51	49	10	1050	ST			
12	250	4	6	BKN	30.01	52	49	8	1050	SC			
13	260	7	6	BKN	30.02	51	48	7	1050	SC			
14	265	8	6	BKN	30.04	51	48	6	1050	SC			
15	270	10	5	BKN	30.05	53	48	8	1750	AC			
16	275	8	5	OK	30.03	51	48	9	1050	ST			
17	340	10	1	OK	30.03	50	49	10	350	ST			
18	300	8	1	OK	30.03	50	49	9	350	ST			
19	280	9	4	OK	30.03	49	48	9	350	ST			
20	270	10	3	L	30.07	48	47	10	350	ST			
21	270	10	2	L	30.10	48	47	10	350	ST			
22	275	10	2	L	30.10	48	47	10	350	ST			
23	275	10	2	L	30.12	48	47	10	350	ST			
24	270	1	3	OK	30.07	49	48	10	350	ST			

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	
1200		
L _____	BY _____	
λ _____	BY _____	
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1 - CELESTIAL
 2 - ELECTRONIC
 3 - VISUAL
 4 - D. R.

CURRENT DATA
FROM _____ (ZT) _____ (Date)
TO _____ (ZT) _____ (Date)
SET _____
DRIFT _____
POSITION BETWEEN FIXES
MID. L _____
MID. λ _____

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400
49.1

REMARKS

04-04 Moved starboard side to pier 3, U.S. Naval Station, Adak, Alaska with standard mooring lines hauled and spring lines hauled at lines 2 & 3. Material Condition Yoke in set throughout the ship. Receiving fresh water and telephone service from the pier. Ships ground include various units of the U.S. Pacific Fleet and yard craft. SOPA is Commanding Officer, U.S.S. Under (ARC-3).

R. L. Walker
 LTJG USN

04-08 Moved as before. 0745 Mustered the crew at quarters, Absentee: none.

R. L. Walker
 LTJG USN

APPROVED:

C. C. Reed Lt

U.S.N. COMMANDING

EXAMINED:

R. L. Walker LTJG

U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF 96)TUESDAY 21 AUGUST, 1962
(Day) (Date) (Month)

08-012 MOORED AS BEFORE 0815 MADE DAILY INSPECTION OF
MAGAZINES AND SMOKELESS POWDER SAMPLES. CONDITIONS NORMAL

J.E. Horton
Ensign USN

12-16 MOORED AS BEFORE.

J.E. Horton
Ensign USN

16-20 MOORED AS BEFORE 1843 MUSTERED DUTY FIRE
PARTY. SET MATERIAL CONDITION YOKER TITAN OUT SHIP

J.E. Horton
Ensign USN

20-24 MOORED AS BEFORE

J.E. Horton
Ensign USN

APPROVED:

EXAMINED:

C.C. Reed Lt.

U.S.N. COMMANDING

G.H. Walker Ltjg

U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION T10 DATE Wednesday 22 August, 19 62
 AT/PASSAGE FROM ADAK, ALASKA TO _____

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISI-BIL-ITY (Miles)	WEATH-ER (Sym-bols)	BAROM-ETER (Inches)	TEMPER-ATURE		CLOUDS			SEA WATER TEMPER-ATURE	WAVES	
	DIREC-TION (True)	SPEED (knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIREC-TION (True)	HEIGHT (Feet)
01	185	2	3	OK	30.07	48	47	10	350	ST			
02	185	3	3	OK	30.07	48	47	10	350	ST			
03	187	4	3	h	30.08	47	47	10	350	ST			
04	260	8	2	OK	30.14	47	46	10	350	ST			
05	265	8	2	OK	30.14	48	47	10	350	ST			
06	250	8	3	OK	30.16	48	47	9	350	ST			
07	250	5	4	OK	30.16	48	47	9	350	ST			
08	220	5	4	BKN	30.18	50	48	8	700	ST			
09	230	6	5	BKN	30.20	49	47	8	700	ST	47		
10	270	5	6	BKN	30.20	49	47	8	700	ST	47		
11	245	5	5	OK	30.18	49	48	9	350	ST	47		
12	275	5	5	OK	30.20	50	48	9	700	ST	47	295	1
13	265	5	5	OK	30.20	50	48	10	700	ST	47	285	1
14	250	5	5	OK	30.20	50	49	10	350	ST	47	280	1
15	200	5	5	OK	30.20	50	49	10	350	ST	47	280	1
16	175	5	6	OK	30.20	51	50	10	350	ST	47	300	1
17	135	6	6	OK	30.18	53	50	9	1050	SC	50	270	1
18	160	6	6	OK	30.13	53	50	10	1050	SC	50	240	1
19	140	6	6	OK	30.10	50	48	9	700	SC	50	240	1
20	140	6	6	OK	30.08	50	48	9	700	SC	50	240	2
21	130	6	6	OK	30.05	51	49	9	700	SC	50	240	2
22	125	6	6	OK	30.04	51	49	9	700	ST	50	260	2
23	126	6	6	OK	30.02	51	49	9	700	ST	50	260	2
24	125	5	5	h	29.98	50	49	10	350	ST	50	265	3

POSITION	ZONE	TIME
0800		
L <u>52-17.8N</u>	BY <u>3</u>	
λ <u>176-38W</u>	BY <u>3</u>	
1200		
L <u>52-17.8N</u>	BY <u>3</u>	
λ <u>176-38W</u>	BY <u>3</u>	
2000		
L <u>51-57.4N</u>	BY <u>243</u>	
λ <u>179-15.2E</u>	BY <u>243</u>	

LEGEND: 1 - CELESTIAL
 2 - ELECTRONIC
 3 - VISUAL
 4 - D. R.

CURRENT DATA	
FROM _____	(Date)
TO _____	(Date)
SET _____	
DRIFT _____	
POSITION BETWEEN FIXES	
MID. L _____	
MID. λ _____	

MILES STEAMED 0000-2400
<u>187.8</u>

FUEL CONSUMED 0000-2400
<u>1628</u>

REMARKS

ΦΦ-Φ4 MOORED STARBOARD SIDE TO PIER 3 WITH 4-2" SPRING LAY MOORING LINES DOUBLED. RECEIVING FRESH WATER AND TELEPHONE SERVICES FROM THE PIER. SOPA IS COMMANDING OFFICER, USS AERLUS (ARC-3). MATERIAL CONDITION YOKE SET THRUOUT SHIP. SHIPS PRESENT INCLUDE VARIOUS UNITS OF US PACIFIC FLEET AND YARD CRAFT.

LC Norton
ENS USN

Φ4-Φ8 MOORED AS BEFORE Φ135 MUSTERED CREW AT QUARTERS ABSENTEES NONE. Φ745 SET SPECIAL SEA DETAIL CAPTAIN AND NAVIGATOR ON THE BRIDGE. ENS SWAN HAS CONN AND DECK.

LC Norton
ENS USN

APPROVED:

CC Reed Lt.

U.S.N. COMMANDING

EXAMINED:

B.L. Walker Ltjg

U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPER 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI ATF 96WEDNESDAY 22 AUG. 1962
(Day) (Date) (Month)

08-12 MOORED AS BEFORE 0814 UNDERWAY IAW CTU 93.0.4 MSG
220030 AUG 62 AND COM AL SEA FROM. OP ORD 205-62
MANUVERING ON VARIOUS COURSES AND SPEEDS TO CLEAR BERTH
AND STEAM OUT OF HARBOR. 0821 SECURED SPECIAL SEA DETAIL
0829 SECURED ANCHOR DETAIL MANUVERING AT VARIOUS COURSES
AND SPEEDS TO MAINTAIN STATION ON U.S.S. THOR (ARCH)
0941 MADE DAILY INSPECTION OF MAGAZINE AND SMOKELESS POWDER ~~AND~~
SAMPLES; CONDITIONS: NORMAL. CAPTAIN AND NAVIGATOR ON THE BRIDGE

J.H. DeJoune B.M.I.

12-16 UNDER WAY AS BEFORE ~~1159~~¹¹⁵⁹ 1159 °C 275° 1232
°C 265° 1315 EXERCIZED CREW AT GENERAL QUARTERS 1453
SECURED FROM GENERAL QUARTERS

C.E. Mann B.M.I.

16-20 UNDER WAY AS BEFORE 1608 °C 246° 1909 °S 95 RPM
1946 °S 110 RPM

J. H. Appleby CWO U.S.N.

20-24 UNDER WAY AS BEFORE 2310 °C 273°

H. L. Swann, ENS, USNA.

APPROVED:

C. C. Reed Lt

U.S.N. COMMANDING

EXAMINED:

B. L. Walker Ltjg

U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI ATF 96 ZONE DESCRIPTION 710 DATE THURSDAY 23 AUG. 19 62
(Day) (Date) (Month)

AT/PASSAGE FROM _____ TO _____

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISI-BIL-ITY (Miles)	WEATH-ER (Sym-bols)	BAROM-ETER (Inches)	TEMPER-ATURE		CLOUDS			SEA WATER TEMPER-ATURE	WAVES	
	DIREC-TION (True)	SPEED (knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIREC-TION (True)	HEIGHT (Feet)
01	130	22	2	L	29.87	49	49	10	0	ST	50	275	3
02	120	23	2	L	29.85	49	49	10	0	ST	50	245	3
03	125	23	2	L	29.80	49	49	10	0	ST	50	245	3
04	120	24	2	L	29.77	47	47	10	0	ST	50	150	3
05	125	24	2	ovc	29.74	48	47	10	350	ST	49	150	3
06	110	24	2	R	29.70	48	47	10	350	ST	49	130	4
07	160	24	2	R	29.66	48	47	10	350	ST	49	155	5
08	125	28	2	L	29.64	48	47	10	350	ST	49	135	6
09	135	37	2	ovc	29.61	48	47	10	350	ST	49	140	6
10	115	35	2	L	29.58	47	46	10	350	ST	49	120	6
11	120	35	2	L	29.56	47	46	10	350	ST	49	125	6
12	130	36	2	L	29.54	47	46	10	350	ST	49	125	6
13	120	28	2	L	29.51	47	46	10	350	ST	49	125	6
14	105	26	2	R	29.50	47	46	10	350	ST	49	125	6
15	100	20	1	R	29.49	47	47	10	0	ST	49	120	4
16	115	19	2	ovc	29.49	48	48	10	0	ST	50	120	3
17	145	15	3	ovc	29.47	49	49	9	0	ST	50	125	3
18	190	14	1	L	29.47	49	49	10	0	ST	50	120	3
19	173	12	1	R	29.38	50	49	10	350	ST	49	170	3
20	164	10	1	R	29.40	50	47	10	1050	ST	49	155	2
21	164	10	1	L	29.40	47	47	10	0	ST	49	155	2
22	164	10	1	L	29.42	47	47	10	0	ST	49	170	2
23	298	7	2	ovc	29.39	47	46	10	350	ST	49	305	2
24	235	6	3	ovc	29.41	46	45	10	550	ST	49	250	2

POSITION	ZONE	TIME
0800		
L <u>51-55.7N</u>	BY <u>2</u>	
λ <u>178-53.2E</u>	BY <u>2</u>	
1200		
L <u>51-58.2N</u>	BY <u>2</u>	
λ <u>178-56.9E</u>	BY <u>2</u>	
2000		
L <u>52-04.2N</u>	BY <u>2</u>	
λ <u>179-19.8E</u>	BY <u>2</u>	

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA	
FROM _____	(Date)
TO _____	(Date)
SET _____	
DRIFT _____	
POSITION BETWEEN FIXES	
MID. L _____	
MID. λ _____	

MILES STEAMED
0000-2400137.3FUEL CONSUMED
0000-24001339

REMARKS

00-04 UNDERWAY INDEPENDENTLY IN ACCORDANCE WITH COM
AL SEA FROM OP ORD 205-62 AND CTU 93.0.4 MSG 2200 30 Z
AUG 62 BASE COURSE 253° BASE SPEED 110 RPM 13.3 KTS.
CONDITION YOKO SET THROUGH OUT SHIP. 0132 C/S TO 25 RPM
0141 C/S TO 210° 0155 C/S TO 030° 0159 C/S TO 75 RPM 0203
C/S TO 25 RPM ~~0234 C/S TO 180°~~ ~~0244 C/S TO 150°~~ ~~0248 C/S TO 130°~~ ~~0250 C/S TO 120°~~ ~~0255 C/S TO 090°~~ ~~0300~~ 0227 C/S TO 090° 0235 C/S TO 000° ~~0238 C/S TO 100 R.P.M.~~ 0239 C/S TO 180° 0244 C/S TO 150° 0248 C/S TO 130° 0250
C/S TO 120° 0253 C/S TO 090° 0300 C/S 3.3 KTS 0309 C/S TO 030° C/S 4.0 KTS.
0320 C/S TO 025°

LT Horton USN

04-08 UNDERWAY AS BEFORE 0423 C/S TO 045° 0436 C/S TO 000°
0438 C/S TO 025° 0448 C/S TO 090° 0455 C/S TO 100° 0502
C/S TO 140° 0508 C/S TO 170° 0510 C/S 4.0 KTS 0521
C/S 6 KTS 0533 C/S TO 180° 0346 C/S TO 160° (CON'T)

APPROVED:

C. Reed Lt.

U.S.N. COMMANDING

EXAMINED:

A. L. Walker LtJG

U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP

ABNAKI (ATF 96)

THURSDAY 23 August 1962
(Day) (Date) (Month)

04-08 (CONT) 0548 $\frac{1}{2}$ 090°, 0554 $\frac{1}{2}$ 000°, 0557 $\frac{1}{2}$ 090°
 0613 $\frac{1}{2}$ 000°, 0617 $\frac{1}{2}$ (30 RPM) 4.0 kn, 0619 $\frac{1}{2}$ 020°
 0622 $\frac{1}{2}$ 090°, 0632 $\frac{1}{2}$ 170°, 0636 $\frac{1}{2}$ ~~45~~ 4.0 kn
 0642 $\frac{1}{2}$ 180°, 0650 $\frac{1}{2}$ 170°, 0702 $\frac{1}{2}$ 180°, 0708 $\frac{1}{2}$
 30 RPM 4.0 kn 0712 $\frac{1}{2}$ 200°, 0720 $\frac{1}{2}$ 000°, 0743
 $\frac{1}{2}$ 010°, 0749 $\frac{1}{2}$ 020°, 0753 mustered the crew on
 station, absentees; none, 0754 $\frac{1}{2}$ 030°.

JEFFREY CWO USN.

08-12 underway as before 0807 $\frac{1}{2}$ to 090° $\frac{1}{2}$ 0814
 $\frac{1}{2}$ to 110° 0820 A/STOP 1013 A/A $\frac{2}{3}$ $\frac{1}{2}$ to 060° 1017 A/STANDARD
 $\frac{1}{2}$ to 070° 1054 $\frac{1}{2}$ to 130° 1018 made daily inspection of
 magazine and smokeless powder samples C.E. Mann Bm1
 conditions NORMAL

12-16 UNDERWAY AS BEFORE 1220 $\frac{1}{2}$ 045° A/A 45 R.P.M.
 1225 $\frac{1}{2}$ 070° 1428 $\frac{1}{2}$ 105°

J. H. D. Turner Bm1

16-20 underway as before 1624 $\frac{1}{2}$ to 067° 1632 $\frac{1}{2}$ to 075°
 1648 $\frac{1}{2}$ to A/ $\frac{1}{3}$ 1850 $\frac{1}{2}$ to A/FULL $\frac{1}{2}$ to 305° 1853 $\frac{1}{2}$ to A/ $\frac{2}{3}$
 1907 $\frac{1}{2}$ to 220° A/STAND 1908 $\frac{1}{2}$ to 235° 1910 $\frac{1}{2}$ to A/FLANK

C.E. Mann Bm1

20-24 UNDERWAY AS BEFORE 2226 $\frac{1}{2}$ to 30 RPM 4 KNTS. 2232 $\frac{1}{2}$
 to 45 RPM 6 KNTS. 2233 $\frac{1}{2}$ to 30 RPM 4 KNTS $\frac{1}{2}$ to 000°. 2306 $\frac{1}{2}$ to
 010°, 2319 $\frac{1}{2}$ to 045° 2343 $\frac{1}{2}$ to 090°. JEN

J. E. Norton
USN

APPROVED:

EXAMINED:

C. C. Brad St

U.S.N. COMMANDING

L. L. Walker USN

U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10 DATE FRIDAY 24 August, 1962
(Day) (Date) (Month)

AT/PASSAGE FROM _____ TO _____

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	230	6	4	OVC	29.40	47	46	10	350	ST	49	240	2
02	225	5	4	F	29.38	47	46	10	350	ST	50	235	2
03	215	6	4	F	29.36	47	46	10	350	ST	52	230	2
04	210	5	4	F	29.36	47	46	10	350	ST	52	230	2
05	200	4	4	F	29.34	46	45	10	350	ST	52	230	2
06	210	5	4	F	29.33	46	45	10	350	ST	50	230	2
07	210	3	4	F	29.30	46	45	10	350	ST	54	230	1
08	200	3	1	OVC	29.34	46	45	10	350	ST	54	230	1
09	210	3	1	F	29.30	47	46	10	350	ST	54	240	1
10	230	3	1	F	29.29	47	46	10	350	ST	54	250	1
11	235	3	1	F	29.29	47	46	10	350	ST	54	255	1
12	231	12	5	BKN	29.27	47	46	7	350	ST	54	260	1
13	231	8	5	BKN	29.27	49	47	7	700	ST	54	240	1
14	220	10	5	OVC	29.26	48	47	9	350	ST	54	225	1
15	215	13	5	OVC	29.25	50	48	9	700	ST	54	225	1
16	220	12	5	OVC	29.24	50	48	9	700	SC	54	220	1
17	235	8	5	BKN	29.24	49	47	9	700	ST	54	225	1
18	235	7	5	OVC	29.24	49	47	9	700	ST	54	230	1
19	245	13	5	OVC	29.24	48	47	10	350	ST	54	240	2
20	240	10	5	OVC	29.24	48	47	10	350	ST	54	240	2
21	230	10	5	OVC	29.24	48	47	10	350	ST	54	230	2
22	220	9	5	OVC	29.29	48	47	10	350	ST	57	230	2
23	200	9	5	OVC	29.27	48	47	10	350	ST	56	230	2
24	210	9	3	OVC	29.28	48	47	10	350	ST	56	225	2

POSITION	ZONE	TIME
0800		
L <u>51-49.4N</u>	BY <u>2</u>	
λ <u>178-43.6E</u>	BY <u>2</u>	
1200		
L <u>51-51.5N</u>	BY <u>2</u>	
λ <u>178-43.8E</u>	BY <u>2</u>	
2000		
L <u>51-47.6N</u>	BY <u>2</u>	
λ <u>178-59E</u>	BY <u>2</u>	

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA
FROM _____ (ZT) _____ (Date)
TO _____ (ZT) _____ (Date)
SET _____
DRIFT _____
POSITION BETWEEN FIXES
MID. L _____
MID. λ _____

MILES STEAMED 0000-2400
<u>84.1</u>

FUEL CONSUMED 0000-2400
<u>1019</u>

REMARKS

00-04 Steaming Independently enroute to rendezvous with U.S.S. Thor (ATF-4) in accordance with COMALSEA FRONT OP-ORD 205-62 msg 2200 30Z Aug 62. Base course 090° speed 30 RPM 4 knots. Natural condition 4 knots 2140 09° 150°, 0018° 45 RPM 6 knots. 0020° 270°, 0116° 180° 0119° 30 RPM 4 knots. 0200° 15 RPM 1.7 knots. Visibility decreased to approx 800 yds. Commenced counting fog signal. 0230 Radar contact bearing 138° dist approx 2050 yds. 0235° 75 RPM 9.5 knots. 0240° 000° 15 RPM 1.7 knots. 0248 Lost Radar Contact. 0324 Visibility increased to 3 1/2 miles. 0325° 30 RPM 4 knots. 0347° 15 R.P.M. 1.7 knots

Jeffrey C. U.S.N.

04-08: UNDERWAY AS BEFORE. 0450° 180° 0515° 6 KNOTS. 0519 COMMENCED STEERING VARIOUS COURSES AT VARIOUS SPEEDS TO TAKE STATION ON THE GUIDE 5000 YARDS BEARING 270° TRUE FROM THE GUIDE.

APPROVED:

EXAMINED:

C. Reed Lt.

U.S.N. COMMANDING

B. L. Hall LtJG

U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPER 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP

ABNAKI (ATF-96)

FRIDAY 24 AUGUST, 1962
(Day) (Date) (Month)

08-12: UNDERWAY AS BEFORE. 0800 MUSTERED THE CREW ON STATIONS, ABSENTEES: NONE. 0847 C/K 145°, A/13, 45 RPM, 6 KTS. 0852 C/S A/S. 1010 C/S A/13, 15 RPM, 1.7 KTS. C/K 105° 1019 C/K 120° 1100 C/S A/S. 1055 RECEIVED MAGAZINE TEMP. REPORT. NORMAL WEEKLY MAGAZINE SPRINKLING SYSTEM WAS CONDUCTED. TEST SATISFACTORY. JTH Reume BMI

12-16: UNDERWAY AS BEFORE ON VARIOUS COURSES AND SPEEDS TO KEEP STATION ON U.S.S. THOR (ARC-4). 1523 EXERCISED CREW AT GENERAL QUARTERS. C.E. Man BMI

16-20 UNDER WAY AS BEFORE

JTH Reume BMI

20-24: UNDERWAY AS BEFORE.

JTH Reume CWS USN

APPROVED:

EXAMINED:

CC Reed Lt.

U.S.N. COMMANDING

A L Walke LtJG

U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAHI (ATF-96) ZONE DESCRIPTION +10 DATE SATURDAY 25 AUGUST, 19 62
(Day) (Date) (Month)

AT/PASSAGE FROM _____ TO _____

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISI- BIL- ITY (Miles)	WEATH- ER (Sym- bols)	BAROM- ETER (Inches)	TEMPER- ATURE		CLOUDS			SEA WATER TEMPER- ATURE	WAVES	
	DIREC- TION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIREC- TION (True)	HEIGHT (Feet)
01	190	9	3	OK	29.31	48	47	10	350	ST	54	170	2
02	195	8	3	OK	29.31	48	48	10	0	ST	54	180	2
03	195	8	3	OK	29.30	49	48	10	350	ST	54	175	2
04	170	10	3	OK	29.29	48	47	10	350	ST	54	170	2
05	170	11	3	OK	29.29	48	47	10	350	ST	54	170	2
06	163	13	3	L	29.27	48	47	10	350	ST	54	175	2
07	115	9	2	L	29.27	48	47	10	350	ST	54	120	2
08	130	11	2	F	29.24	48	47	10	350	ST	51	125	2
09	100	11	3	F	29.22	48	47	10	350	ST	51	140	3
10	090	4	4	OK	29.20	49	48	10	350	ST	48	140	3
11	235	7	4	F	29.20	49	48	10	350	ST	46	160	4
12	130	6	4	OK	29.22	49	48	10	350	ST	46	160	4
13	205	10	4	OK	29.24	49	48	10	350	ST	45	160	3
14	200	12	4	OK	29.28	49	48	10	350	ST	47	160	3
15	200	11	4	OK	29.30	50	48	10	700	ST	49	160	3
16	205	10	4	OK	29.31	50	49	10	350	ST	51	170	3
17	200	10	4	BKN	29.33	50	49	9	350	ST	53	160	3
18	190	10	4	BKN	29.35	50	49	8	350	ST	54	170	3
19	200	11	5	BKN	29.38	48	47	8	350	ST	54	190	3
20	180	18	5	OK	29.42	48	47	9	350	ST	54	190	2
21	172	19	5	OK	29.46	48	47	9	350	ST	54	195	2
22	181	19	5	BKN	29.48	49	48	8	350	ST	54	190	2
23	186	14	5	SC	29.52	49	48	5	350	ST	54	190	2
24	205	15	6	SC	29.54	50	47	5	1050	SC	54	200	2

POSITION	ZONE	TIME
0800		
L <u>51-50N</u>	BY <u>2</u>	
λ <u>179-58.7W</u>	BY <u>2</u>	
1200		
L <u>51-52.7N</u>	BY <u>2</u>	
λ <u>179-36.4W</u>	BY <u>2</u>	
2000		
L <u>52-10.1N</u>	BY <u>2</u>	
λ <u>178-50.4W</u>	BY <u>2</u>	

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA
FROM _____ (ZT) _____ (Date)
TO _____ (ZT) _____ (Date)
SET _____
DRIFT _____
POSITION BETWEEN FIXES
MID. L _____
MID. λ _____

MILES STEAMED
0000-2400

106.1

FUEL CONSUMED
0000-2400

1179

REMARKS

00-04: UNDERWAY IN COMPANY WITH U.S.S. THOR (ARC-4) ENROUTE TO ADAX, ALASKA IN ACCORDANCE WITH COMALSEA FROM OPORD 205-62 ON BASE COURSE 115° BASE SPEED 4.0 KTS. GUIDE IS U.S.S. THOR (ARC-4) OTC IS CTR 93.0.4.2 MATERIAL CONDITION YOKK AND READINESS CONDITION I IS SET. SOPA IS COMMANDING OFFICER, U.S.S. THOR (ARC-4). MANEUVERING AT VARIOUS COURSES AND SPEEDS TO MAINTAIN STATION ON THE GUIDE 1500 TO 2000 YARDS BEARING 225° RELATIVE FROM GUIDE. 0100 °BASE COURSE TO 066°. 0200 °BASE COURSE TO 075°. 0320 °BASE COURSE TO 059°.

HR Ruan EOS CSN

04-08: UNDERWAY AS BEFORE. 0406 °BASE COURSE TO 070°. 0700 °IS ALSTOP. 0715 °IS TO AHEAD 45 RPM, 5 KTS. 0719 °IS 230°T, °IS TO 60 RPM, 7.7 KTS. 0723 ALSTOP. 0732 °IS STAND, 40 RPM, 6 KTS. 0733 °IS FULL, 60 RPM, 7.7 KTS. 0734 °IS 15 RPM, 1.7 KTS. 0735 °IS TO 180°

APPROVED:

CC Reed Lt.

U.S.N. COMMANDING

EXAMINED:

W. H. Walker Ltjg

U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI ATF 96SATURDAY 25 AUGUST, 1962
(Day) (Date) (Month)

08-12 underway as before 105^{08M} 0800 MUSTERED crew on station
 absentees NONE 1054 commenced sounding fog signals 1000 MADE
 DAILY INSPECTION OF MAGAZINE AND SMOKELESS POWDER CONDITIONS NORMAL

C.E. Plann BM1

12-16 UNDERWAY AS BEFORE

F.H. De Zouche BM1

16-20 Underway as before 1600 Captain's Conning 1603 set
 special sea and anchor detail on bridge and after steers.
 1605 Making approach to starboard side to U.S.A. Thor (ARC-4)
 1606. First messenger over to U.S.A. Thor (ARC-4) 1607 Light
 line received by U.S.A. Thor (ARC-4) 1608. Received small bag
 of mail from U.S.A. Thor (ARC-4) 1609 All lines clear of
 starboard side 1610. Secured special sea detail. 1612 Commenced
 maneuvering at various course and speed to take station 1500 yd
 off of Port Quarter of U.S.A. Thor (ARC-4) 1644 On station,
 1715 $\frac{1}{2}$ 075°. 1723 $\frac{1}{2}$ all stop. 1735 $\frac{1}{2}$ 1.7 kts 15 RPM. 1738
 $\frac{1}{2}$ 30 RPM 4 kts. 1901 $\frac{1}{2}$ 060°.

J. H. Coffey CWO U.S.N.

20-24: UNDERWAY AS BEFORE

W. K. Swan, ENS. USNR.

APPROVED:

EXAMINED:

C. C. Reed Lt.

U.S.N. COMMANDING

B. L. Stalk Lt. JG

U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI ATF 96 ZONE DESCRIPTION +10 DATE SUNDAY 26 AUGUST, 19 62
(Day) (Date) (Month)

AT/PASSAGE FROM _____ TO _____

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISI- BILI- TY (Miles)	WEATH- ER (Sym- bols)	BAROM- ETER (Inches)	TEMPER- ATURE		CLOUDS			SEA WATER TEMPER- ATURE	WAVES	
	DIREC- TION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIREC- TION (True)	HEIGHT (Feet)
01	220	13	6	BKN	29.56	49	47	6	700	SC	54	210	2
02	210	13	6	BKN	29.58	48	47	8	350	SC	54	210	2
03	195	15	6	BKN	29.60	49	47	7	700	SC	54	200	2
04	200	19	6	BKN	29.62	49	47	7	700	SC	53	200	2
05	210	22	6	BKN	29.63	49	47	7	700	SC	53	200	2
06	215	26	6	BKN	29.64	49	47	7	700	SC	53	200	2
07	200	19	6	SC	29.66	49	47	3	700	SC	53	200	2
08	195	14	6	SC	29.68	52	50	4	700	SC	53	160	2
09	200	13	6	SC	29.70	52	50	4	700	SC	53	170	2
10	195	14	6	SC	29.73	52	50	4	700	SC	53	160	2
11	195	14	6	SC	29.76	53	51	4	700	SC	52	160	2
12	182	19	6	SC	29.78	52	50	5	700	SC	52	195	2
13	195	12	6	BKN	29.80	54	51	7	1050	SC	52	195	2
14	182	13	6	BKN	29.82	54	51	8	1050	SC	50	190	2
15	195	13	6	BKN	29.84	55	51	8	1400	SC	53	230	2
16	180	11	7	BKN	29.85	52	49	8	1050	SC	50	200	2
17	170	10	7	BKN	29.86	52	49	8	1050	SC	50	200	1
18	130	11	7	BKN	29.86	55	49	7	1400	SC	50	200	1
19	135	9	7	BKN	29.88	49	47	7	700	SC	50	170	1
20	170	20	7	BKN	29.87	49	47	7	700	SC	50	170	1
21	180	10	7	BKN	29.87	49	47	6	700	SC	50	170	1
22	180	9	7	BKN	29.87	49	47	6	700	SC	50	170	1
23	185	11	7	BKN	29.90	49	47	6	700	SC	50	170	1
24	190	10	6	BKN	29.90	48	47	6	350	SC	50	160	1

POSITION	ZONE	TIME
0800		
L <u>52-16.3N</u>	BY <u>2</u>	
λ <u>177-45.0W</u>	BY <u>2</u>	
1200		
L <u>52-17.8N</u>	BY <u>2</u>	
λ <u>177-18.0W</u>	BY <u>2</u>	
2000		
L <u>52-03.4N</u>	BY <u>3</u>	
λ <u>176-22.2W</u>	BY <u>3</u>	

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA	
FROM _____	(Date) _____
(ZT) _____	(Date) _____
TO _____	(Date) _____
(ZT) _____	(Date) _____
SET _____	
DRIFT _____	
POSITION BETWEEN FIXES	
MID. L _____	
MID. λ _____	

MILES STEAMED
0000-2400109.8FUEL CONSUMED
0000-24001291

REMARKS

ΦΦ-Φ4 UNDERWAY IN COMPANY WITH USS THOR (ARC-4) ENROUTE
TO ADAK, ALASKA IN ACCORDANCE WITH COMAL SEA FRONT OP. ORD.
205-62 ON BASE COURSE Φ6Φ BASE SPEED 4 KNOTS. GUIDE IS
USS THOR (ARC-4) OTC IS CTE 93.Φ.4.2 IN USS THOR (ARC-4)
SOPA IS COMMANDING OFFICER USS THOR (ARC-4) MATERIAL CONDITION
YOKE SET THRU OUT SHIP. MANEUVERING ON VARIOUS COURSE AND
SPEED TO MAINTAIN STATION 15ΦΦ TO 2ΦΦΦ YDS LINE OF BEARING
225° REL. FROM GUIDE. ΦΦΦ 1/2 BASE COURSE TO Φ75

J. E. Hutton
USN.

04-08. Underway as report. 0501. 1/2 100°. 0716 1/2 106°

J. E. Hutton CWO USN.

APPROVED:

C. C. Reed Lt.

U.S.N. COMMANDING

EXAMINED:

R. L. Walker LtJG

U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF 96)SUNDAY 26 AUGUST, 1962
(Day) (Date) (Month)08-12 0800 MUSTERED ON STATIONS ^{FINED} NO AB UNDERWAY AS BEFORE0800 MUSTERED ON STATIONS NO ABSENTEES 0930 RECEIVED MAGAZINE
~~TEMP. REPORT. NORMAL~~ 0930 MADE DAILY INSPECTION ^{FINED} ~~OF~~ ^{BM1} ~~OF~~ MAGAZINE + SMOKELESS POWDER SAMPLES; CONDITION: NORMAL12-14 underway as before 1240 % to 090° % to 75 RPM
to proceed to ^{RENDEZVOUS CEM} ~~rendezvous~~ point designated by CTE 93.0.4.2

C.P. Mann BM1

16-20: UNDERWAY AS BEFORE. 1600 MANEUVERING AT VARIOUS COURSES AND
SPEEDS TO MAINTAIN POSITION ALONGSIDE CABLE BOW AS DESIGNATED
BY CTE 93.0.4.2.20-24 UNDERWAY AS BEFORE. STEERING VARIOUS COURSES AND MAKING
VARIOUS SPEEDS TO MAINTAIN STATION ON CABLE MARKER BOW 2051
STEERING VARIOUS COURSES + MAKING VARIOUS SPEEDS TO MAINTAIN STATION
650 YDS FROM USS THOR (RC4) 2334 COMMENCED MANEUVERING ON
VARIOUS COURSES AND SPEEDS TO RECOVER MARKER BOW FOR USS THOR
(RC-4)Leslie E. Hart
ENS USN

APPROVED:

EXAMINED:

CC Reed Lt.

U.S.N. COMMANDING

D. L. Walker LtJG

U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI ATF 96MONDAY 27 AUGUST, 1962
(Day) (Date) (Month)

08-12 underway as before ~~0950 HEAD QUARTERS FOR MUSTER~~
~~ABSENTEES NONE~~. 0825 CTE 93.0.4.2. RELEASED CTE 93.0.4.4. 0844
 159° 0917 1/2 To 317° 0920 completed engineering drills 0851 1/2 To
 RPM. 0931 exercise crew at general quarters 0942 commenced event
 27-2 exercise Z-6-N 1052 secured from event 27-7 exercise Z-60
 Z-10-CC 1053 1/2 To 123° 1102 set material condition 10KE
 throughout ship. 1112 secured from general quarters 1130 commenced
 exercise Z-10-CC with U.S.S. Lipian (ATF-85) ABNAKI is OCE. 1/2 140°
 made daily inspection of magazine and smokeless powder sample condition
 normal C.E. Plan BMI

12-16 UNDERWAY AS BEFORE MANEUVERING AT VARIOUS COURSES
 AND VARIOUS SPEEDS TO CONDUCT COMPETITIVE EXERCISES

J.H. Polome BMI

16-20. Underway as before. 1604 set towing detail
 1606 commenced scheduled exercise Z-6-S. with
 U.S.S. Lipian (ATF-85). 1607 U.S.S. Lipian (ATF-85)
 making approach to our port side. 1618 Received shot
 list. 1621 Received messenger. 1628 Received towing
 pennant aboard. 1629. Tow wire connected. 1631. In tow.
 1653 cast off towing cable. 1702. Maneuvering at various
 speed and course changes as into U.S.S. Lipian (ATF-85)
 in tow, approach starboard side. 1712. Received shot
 list. 1714. Received messenger. 1725 Towing pennant
 aboard U.S.S. Lipian (ATF-85). 1727 Tow wire connected.
 1728 commenced towing U.S.S. Lipian (ATF-85). 1749
 messenger aboard. 1/2 210°. 1/2 100 R.P.M. 12.3 knots. 1750
 secured from exercise Z-6-S. resumed towing detail
 1956 1/2 110 R.P.M. 13.3 knots. 1805 1/2 740°. 1825 set special
 sea and anchor detail. 1827 1/2 756°. 1830 1/2 754°. 1831 1/2 1/3 ahead. 1832 Ltjg. Walker coming. 1833 1/2 750°
 1834 Maneuvering at various speed on various courses
 near Port side to Port 8. Fuel pier at Adak, Alaska.
 1850. Moored 1902 commenced taking on fuel. Draft 13.6'
 Fuel 15.9' aft. 1953 secured taking on fuel. Received on
 board 9,450 gal diesel oil. Draft 12' 8" Fuel 16' 4" aft.
 1955 set special sea and anchor detail.

J.H. Polome CWO U.S.N.

21-24. Moored as before. 2000 Ltjg. Walker from Conn. 2004
 Underway for pier 3. IAW radio order from Port Control
 2005. Maneuvering at various speed and course in
 clear fuel pier. 2013. Maneuvering at various speed and
 course changes in near Port side of pier then astern of
 Lipian (ATF-85) 2018. Moored pier 3. Adak, Alaska. 2042
 secured special sea and anchor detail set night watch.

J.H. Polome CWO U.S.N.

APPROVED:

EXAMINED:

C. Reed Lt

U.S.N. COMMANDING

C. L. Walker Ltjg

U.S.N. NAVIGATOR

U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96)Tuesday 28 August, 1962
(Day) (Date) (Month)

08-12 Moved as before 1800 made daily inspection of magazines and smokeless powder samples; Condition: normal. 1800 Com Nav Sta Celak came aboard and called officially on the Commanding Officer.

B. L. Walker
LTJG USN

12-16 Moved as before.

B. L. Walker
LTJG USN

16-20 Moved as before. 1800 Let Condition Spike throughout the ship.

B. L. Walker
LTJG USN

20-24 Moved as before.

B. L. Walker
LTJG USN

APPROVED:

EXAMINED:

C. C. Reed Lt.

U.S.N. COMMANDING

B. L. Walker LTJG

U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKE (ATF-96) ZONE DESCRIPTION H10 DATE Wednesday 29 August, 19 62
(Day) (Date) (Month)
AT/PASSAGE FROM Adak, Alaska TO _____

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISI- BIL- ITY (Miles)	WEATH- ER (Sym- bols)	BAROM- ETER (Inches)	TEMPER- ATURE		CLOUDS			SEA WATER TEMPER- ATURE	WAVES	
	DIREC- TION (True)	SPEED (knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIREC- TION (True)	HEIGHT (Feet)
01	220	6	2	BKN	30.38	47	46	9	350	ST			
02	230	7	2	BKN	30.37	47	46	9	350	ST			
03	235	8	2	BKN	30.37	47	46	9	350	ST			
04	230	8	2	BKN	30.38	47	46	9	350	ST			
05	235	7	2	BKN	30.39	47	46	9	350	ST			
06	235	6	2	BKN	30.39	47	46	9	350	ST			
07	230	5	2	BKN	30.40	47	46	9	350	ST			
08	335	4	2	OVC	30.42	46	45	10	350	ST			
09	320	4	2	OVC	30.44	47	46	10	350	ST			
10	325	4	2	OVC	30.44	48	47	10	350	ST			
11	325	2	3	OVC	30.45	50	48	10	700	ST			
12	325	2	3	OVC	30.46	50	48	10	700	ST			
13	352	2	3	OVC	30.46	52	50	10	700	ST			
14	093	2	3	OVC	30.46	55	51	10	1400	ST			
15	270	2	1	OVC	30.46	54	51	10	1050	ST			
16	265	2	1	OVC	30.46	52	51	10	350	ST			
17	360	2	1	OVC	30.46	50	49	10	350	ST			
18	015	2	1/2	OVC	30.45	49	48	10	350	ST			
19	045	2	1/2	OVC	30.44	48	47	10	350	ST			
20	080	2	1/4	F	30.44	46	46	10	0	ST			
21	080	2	1/4	F	30.44	46	45	10	350	ST			
22	080	2	1/4	F	30.44	46	45	10	350	ST			
23	080	2	1/4	F	30.44	46	45	10	350	ST			
24	080	3	3	BKN	30.44	46	45	9	350	ST			

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	
1200		
L _____	BY _____	
λ _____	BY _____	
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA	
FROM _____	(ZT) _____ (Date) _____
TO _____	(ZT) _____ (Date) _____
SET _____	
DRIFT _____	
POSITION BETWEEN FIXES	
MID. L _____	
MID. λ _____	

MILES STEAMED
0000-2400

FUEL CONSUMED
0000-2400

263

REMARKS

06-04 Moved port side to gun 3 each aft the U.S.S. Ligon (ATF-85)
24.1. Moral Station, Adak, Alaska, with spring lay doubled on
stations 2, 3, and 4, single spring lay on 1 and nylon doubled
forward. Material Condition Yoke is set throughout the ship.
Receiving fresh water and telephone service from the pier. Ships
present include various units of the Pacific Fleet and Detrit
craft. JOPA is Commanding Officer U.S.S. Thor (DRC-4).

B. L. Walker
LTJG USN

04-08 Moved as before 0745 Mustered the crew at quarters
Abandon: none

B. L. Walker
LTJG USN

APPROVED:

C. Reed Lt.

U.S.N. COMMANDING

EXAMINED:

B. L. Walker LTJG

U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP

APNAIKI (ATF 96)

WEDNESDAY 29 AUGUST, 1962
(Day) (Date) (Month)

08-12 MOORED AS BEFORE 0825 MADE DAILY INSPECTION OF MAGAZINES
AND SMOKELESS POWDER SAMPLES. CONDITIONS NORMAL

SE Horton
Enr USN

12-16 MOORED AS BEFORE

SE Horton
Enr USN

16-20 MOORED AS BEFORE 1643 FIRE IN DUMPSTER ON PIER. CALLED
AWAY FIRE PARTY 1659 FIRE OUT. SECURED FROM FIRE QUARTERS
1800 SET CONDITION YOKE THRU OUT SHIP

SE Horton
Enr USN

20-24 MOORED AS BEFORE

SE Horton
Enr USN

APPROVED:

C. C. Reed Lt.

U.S.N. COMMANDING

EXAMINED:

L. L. Walker Lt. 16

U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI (ATF 96) ZONE DESCRIPTION 110 DATE Thursday 30 August, 19 62
(Day) (Date) (Month)
AT/PASSAGE FROM ADAK ALASKA TO _____

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISI-BIL-ITY (Miles)	WEATH-ER (Sym-bols)	BAROM-ETER (Inches)	TEMPER-ATURE		CLOUDS			SEA WATER TEMP-ERATURE	WAVES	
	DIREC-TION (True)	SPEED (knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIREC-TION (True)	HEIGHT (Feet)
01	080	2	2	F	30.44	45	44	10	350	ST			
02	080	3	2	F	30.44	45	44	10	350	ST			
03	080	3	3	OK	30.44	46	44	9	700	ST			
04	080	3	2	OK	30.43	45	44	9	350	ST			
05	080	2	1	F	30.42	45	44	10	350	ST			
06	080	4	1	F	30.41	45	44	10	350	ST			
07	080	7	1	F	30.41	46	45	10	350	ST			
08	080	5	1	F	30.40	46	45	10	350	ST			
09	080	5	2	OK	30.39	47	45	10	700	ST			
10	090	7	1	F	30.39	47	46	10	350	ST			
11	095	3	1	F	30.38	47	46	10	350	ST			
12	090	3	1	F	30.38	47	47	10	0	ST			
13	090	7	1	F	30.37	47	46	10	350	ST			
14	100	10	3	OK	30.37	48	47	10	350	ST			
15	095	6	3	OK	30.36	48	47	9	350	ST			
16	090	7	1	F	30.36	48	47	10	350	ST			
17	095	7	1	F	30.34	47	46	10	350	ST			
18	095	4	4	OK	30.34	46	45	9	350	ST			
19	090	9	6	OK	30.30	46	44	9	700	ST			
20	090	11	3	OK	30.33	46	44	10	700	ST			
21	085	10	2	OK	30.37	45	44	10	350	ST			
22	080	15	2	F	30.40	45	44	10	350	ST			
23	080	9	2	F	30.42	44	43	10	350	ST			
24	085	6	2	OK	30.43	44	43	10	350	ST			

POSITION	ZONE	TIME
0800		
L _____	BY _____	
λ _____	BY _____	
1200		
L _____	BY _____	
λ _____	BY _____	
2000		
L _____	BY _____	
λ _____	BY _____	

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA	
FROM _____	(Date) _____
TO _____	(Date) _____
SET _____	
DRIFT _____	
POSITION BETWEEN FIXES	
MID. L _____	
MID. λ _____	

MILES STEAMED
0000-2400

FUEL CONSUMED
0000-2400

254

REMARKS

00-04 MOORED PORT SIDE TO PIER THREE, US NAVAL STATION ADK
ALASKA WITH FOUR SPRING LAY LINES TO THE PIER AND ONE NYLON
LINE TO THE PIER FORE AND AFT. ^{RECEIVING} FRESH WATER AND TELEPHONE ^{FOR}
SERVICE FROM THE PIER. CONDITION YOKE SET THRU OUT THE SHIP.
SOPA IS COMMANDING OFFICER OF USS THOR (ARC-4) SHIP'S PRESENT
INCLUDE VARIOUS UNITS OF U S PACIFIC FLEET AND YARD CRAFT.

L. Horton
ENS USN

04-08 MOORED AS BEFORE 0745 MUSTERED THE CREW AT
QUARTERS ABSENTEES NONE

L. Horton
ENS USN

APPROVED:

C. Reed Lt

U.S.N. COMMANDING

EXAMINED:

L. L. Walker Ltjg

U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96)

THURSDAY 30 AUGUST, 1962
(Day) (Date) (Month)

08-12: MOORED AS BEFORE. 1015 MADE DAILY INSPECTIONS OF MAGAZINES AND SMOKELESS POWDER SAMPLES; CONDITIONS NORMAL.

H. L. Seaman, ENS, USNR

12-16: MOORED AS BEFORE.

H. L. Seaman, ENS, USNR

16-20: MOORED AS BEFORE. 1800 SET MATERIAL CONDITION YOKE.

H. L. Seaman, ENS, USNR

20-24: MOORED AS BEFORE.

H. L. Seaman, ENS, USNR.

APPROVED:

C. C. Reed Lt.

U.S.N. COMMANDING

EXAMINED:

L. E. Walker LTJG

U.S.N. NAVIGATOR

U.S.N. NAVIGATOR

FOR OFFICIAL USE ONLY

NAVPER 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP FBNAKI (ATF-96)FRIDAY 31 AUGUST, 1962
(Day) (Date) (Month)

08-12. Moored as before. 0836 Commenced taking on fuel. Draft Fwd 13.6" Aft 16.6". 0859 Secured from taking on fuel. Received on board 1,274 gallons of diesel fuel. Draft Fwd 13.8" aft 16.6". 0954. Made daily inspection of magazine and smoke power sample condition normal. Made weekly test of magazine sprinkler system. Test satisfactory 1000. Held material inspection of Zone 4 and 5. 1045 Secured from. Material inspection

J. Haffey CWO U.S.N.

12-16. Moored as before.

J. Haffey CWO U.S.N.

16-20. Moored as before. 1745. Mustered crew on station; Absentees none. 1758 Set up special sea and anchor detail. 1800 Captain and Navigator on the bridge. Ensign Horton is O.O.D. 1812. Underway TAW verbal order from Port Control Adak, Alaska for Pearl Harbor, Hawaii. Maneuvering on various courses at various speed to clear Sweeper Cove. Harbor. 1818 Passed Breakwater Light abeam Port approx 200 yds. 1819. C/S 110 RPM 13.3 kts C/G 0770. 1820 C/G 080°. 1823 Ramnet Rock light bearing 330° C/G 060°. 1828 Secured anchor for sea. 1829 C/G 083°. 1830 Secured special sea and anchor detail. 1924 C/G 080°. 1933 Lighted Alupaka Island. Light Bearing 062½. Distance approximately 3.3 miles. 1943 C/G 082°

J. Haffey, CWO U.S.N.

20-24. Underway as before. 2021 C/G 132°. 2029 C/G 138°. 2035. Visibility decreased to approximately 1000 yds. Commenced sounding fog signal. 2101 C/G 156°. 2119. Ceased sounding fog signal. 2155 C/S 100 RPM. 12.3 kts. 2200 C/S 110 RPM. 13.3 kts.

J. Haffey CWO U.S.N.

APPROVED:

EXAMINED:

C. C. Reed Lt.

U.S.N. COMMANDING

L. H. Miller Lt.

U.S.N. NAVIGATOR

